

Programming with Objects

*A Comparative Presentation of
Object-Oriented Programming
with C++ and Java*

Avinash C. Kak

Purdue University

A Wiley-Interscience Publication
JOHN WILEY & SONS, INC.

New York / Chichester / Weinheim / Brisbane / Singapore / Toronto

*The errata and other information for this book is
posted at*

<http://www.programming-with-objects.com>

Preface

This book presents object-oriented programming with C++ and Java, which are today's two dominant languages for such programming. The presentation format is mostly comparative, all the way from the basic language constructs to application-level issues dealing with graphics programming, network programming, and database programming. This book is intended for a reader who is well-conversant with the important features of C: pointers, strings, arrays, and structures.

The author strongly believes in the notion that, in addition to the syntax, it is essential to also show a programming language through its applications to fully establish its beauty and power. Teaching a programming language divorced from its applications – not uncommon in many educational programs – would be like teaching English through just its grammar.

This book grew out of an attempt to meet a specific academic need for a comprehensive educational program in object-oriented programming. We wanted a program that would not be too indoctrinating with regard to any one style (or any one language, since language often dictates style) of object-oriented programming. While programming skill could have been taught by focusing on a single language, education in its larger sense demanded that we provide a broader menu of styles and concepts. The result was what the reader sees in this book: An integrated presentation of C++ and Java. There is educational value in comparing and contrasting the two languages, from basic language constructs to how the languages are used in application-level programming. Such comparisons may even inspire an enterprising student to think of new and more powerful object-oriented languages of the future. To further enhance

the educational value of this comparative approach, this book also includes treatment of simulated object-orientation in plain C, with GNOME/GTK+ presented as a major example of this approach.

This book is based on the philosophy that learning by comparison is very efficient and can be a lot of fun. Sometimes we find it easier to remember and learn things if we can anchor our memory and comprehension in interesting differences and similarities between supposedly similar objects, structures, and situations. Learning C++ and Java together can exploit this aspect of human cognition. Students find it interesting to compare C++ and Java programming constructs for doing the same thing.

Teaching and learning C++ and Java together have some unique advantages. First, because both C++ and Java were born out of C, they have much in common at the level of basic language structures. Teaching these structures together saves time. For example, once the concept of a vector in C++ is made clear and some of the more useful functions associated with C++ vectors are elucidated, the discussion of the Java ArrayList takes hardly any time. The Java discussion consists mostly of pointing out the Java functions that do the same thing as the previously discussed C++ functions.

Then there is also the unique process of learning by coding up a program in C++ that does the same thing as a given program in Java, or vice versa. My experience is that this approach enables the students to tackle more difficult projects in both C++ and Java than would otherwise be the case under the time constraints of a course.

Learning two large languages together does have its down side. One can get confused as to what feature belongs to which language. Fortunately, this difficulty is minimized by the modern programming practice of keeping one eye on the on-line documentation in one terminal window while programming in another terminal window. Both Java and C++ have become so large that it would be impossible for anyone to commit to memory all of the classes and all of the functions and attributes defined for the classes. So even if one were not learning two languages simultaneously, one would still need to refer to documentation while writing programs.

The book contains more material than can be accommodated in a typical one-semester course. In my experience, the book works well for a sequence of two back-to-back courses, the first focusing on the basic language constructs as presented in the first fifteen chapters, and the second focusing on application- and design-level issues. For the second course, I complement the material in the last five chapters with a book on design patterns.

It would be naive of me to assume that a manuscript as large as this would be free of errors. I'd be much grateful to the readers who would bring the errors to my attention at kak@purdue.edu. All corrections will be made available online at www.programming-with-objects.com, and the authors of the corrections will be duly acknowledged. The same applies to any slip-ups on my part in giving proper attributions to authors. Where my example programs were inspired directly by what I saw in other sources, I have acknowledged their authors in the "Credits and Suggestions for Further Reading" section at the end of each chapter.

The author will be glad to make available to the prospective instructors the solutions to the homework problems.

Finally, the book should also be useful to those who are transitioning from C++ to Java, or vice versa.

Purdue University

Avinash Kak

Acknowledgments

Whatever merit this book has should go in large measure to the stalwarts of the object-oriented programming movement, to those who created C++ and Java, and to those who have been the chief expositors of these two languages over the last several years (see the references at the end of the book).

This book would not have been possible without the help of the following people:

- Guilherme DeSouza, a man with insights that are as deep as they are broad and for whom Linux is a religion to which he has converted many, this author included. Guilherme's insights in multiprocessing and multithreading played an important role in the revamping of Chapter 18.
- Elvia Suryadi, who can spot from a mile the slightest flaw in a logical argument, the minutest weakness in an explanation. Her constant feedback helped with the cleanup of many sections of the book, too numerous to be listed here individually. The homework problems in Chapters 13 and 20 are by Elvia.
- Malcolm Slaney, with an uncanny eye for rigor and precision, for providing critical feedback on the first five chapters.
- Carl Crawford, never a man to mince words, who insisted that my earlier version of the front matter did not do justice to the rest of the book.
- Susan Gottschlich, with deep insights in the software development cycles of industry, for her careful reading and feedback of the first 11 chapters.

- Robert Cromwell, who has always had his ear to the ground for the latest happenings in the world of software and hardware, for looking carefully at the C-related material in the book and suggesting improvements.
- Sarah Sellke, with many years of object-oriented software design and development experience for telecom and other applications, for her feedback on Chapter 19.
- Christina Pavlopoulou, as a source of great help in the early stages of my putting together this book.
- Prathima Venkatesan, who proofread and caught many errors in the draft copies of Chapters 4, 5, 6, and 7.
- Bob Mulvey, for helping me better understand the various shortcomings associated with the use of `setjmp-longjmp` macros for achieving multilevel return in C.
- Brett Maden, for creating the final versions of the figures in Chapters 15 and 17. He also contributed to the homework section of Chapter 17; the Qt and GNOME/GTK+ problems were supplied by him.
- Kheng Tan, for many of the final production figures for Chapters 14 and 16. Kheng also supplied the problems for the homework section of Chapter 14.

Thanks also go to the anonymous reviewers of the book; many of the comments I received through the review process helped in the revision of much material. Of the publisher reviews received nonanonymously, I wish to thank Simon Gray in particular for catching many errors in Chapter 2, 8, 10, 14, and 19 and suggesting improvements.

Many additional sources of help and information that proved important to the writing of this book are acknowledged near the end of each chapter in a section entitled “Credits and Suggestions for Further Reading,” or sometimes just “Suggestions for Further Reading.” Occasionally, I have also used a footnote for the same purpose.

I am also grateful to Subhash Kak, whose powers of exposition border on the lyrical, for his many wonderful suggestions for smoothing out the text at various places.

Finally, and most importantly, many thanks go to Carla for her loving friendship, support, and understanding, all things that give true meaning to life. Thanks also go to Carla for her direct contributions to the book by way of critical reading of its various sections.

A.C.K.

Contents in Brief

1	Why OO Programming – Some Parallels with Things at Large	1
2	Baby Steps	5
3	The Notion of a Class and Some Other Key Ideas	29
4	Strings	107
5	Using the Container Classes	147
6	The Primitive Types and Their Input/Output	211
7	Declarations, Definitions, and Initializations	287
8	Object Reference and Memory Allocation	339
9	Functions and Methods	353

10 Handling Exceptions	389
11 Classes, The Rest of the Story	423
12 Overloading Operators in C++	513
13 Generics and Templates	569
14 Modeling Diagrams for OO Programs	607
15 Extending Classes	637
16 Multiple Inheritance in C++	743
17 OO for Graphical User Interfaces, A Tour of Three Toolkits	811
18 Multithreaded Object-Oriented Programming	985
19 Network Programming	1049
20 Database Programming	1137

Contents

Preface	vii
Acknowledgments	xi
1 Why OO Programming – Some Parallels with Things at Large	1
2 Baby Steps	5
2.1 <i>Simple Programs: Summing an Array of Integers</i>	6
2.2 <i>Simple Programs: Terminal I/O</i>	14
2.3 <i>Simple Programs: File I/O</i>	19
2.4 <i>Suggestions for Further Reading</i>	25
2.5 <i>Homework</i>	25
3 The Notion of a Class and Some Other Key Ideas	29
3.1 <i>Defining a Class in C++</i>	32
3.2 <i>Defining a Class in Java</i>	37
3.3 <i>Constructing Objects: Differences and Similarities between C++ and Java</i>	40
3.4 <i>Defining a subclass in C++</i>	42
	xv

3.4.1	<i>A Small Demonstration of Polymorphism in C++</i>	44
3.5	<i>Defining a Subclass in Java</i>	46
3.5.1	<i>A Small Demonstration of Polymorphism in Java</i>	48
3.6	<i>Blocking Inheritance</i>	49
3.7	<i>Creating Print Representations for Objects</i>	52
3.8	<i>Object Destruction</i>	54
3.9	<i>Packages in Java</i>	55
3.10	<i>Namespaces in C++</i>	61
3.10.1	<i>Using Declaration Versus Using Directive</i>	64
3.10.2	<i>Which Namespace Owns Names Imported from Another Namespace?</i>	65
3.10.3	<i>Using Declarations and Directives Have Scope</i>	66
3.10.4	<i>Nesting Namespaces and Namespace Aliases</i>	67
3.10.5	<i>Unnamed Namespaces</i>	69
3.10.6	<i>Koenig Lookup for Unqualified Function Names</i>	70
3.11	<i>Access Control for Class Members</i>	71
3.12	<i>Abstract Classes and Interfaces</i>	73
3.13	<i>Comparing Objects</i>	77
3.14	<i>Static Members of a Class</i>	81
3.15	<i>Template Classes</i>	83
3.16	<i>Nested Types</i>	84
3.16.1	<i>Nested Classes in C++</i>	84
3.16.2	<i>Nested Classes in Java</i>	89
3.17	<i>Implementing OO Behavior in C Programs</i>	94
3.18	<i>Suggestions for Further Reading</i>	102
3.19	<i>Homework</i>	102
4	Strings	107
4.1	<i>Strings in C, A Brief Review</i>	108
4.2	<i>Some Common Shortcomings of C-Style Strings</i>	111
4.3	<i>C++ Strings</i>	113
4.3.1	<i>Constructing a C++ String Object</i>	113
4.3.2	<i>Accessing Individual Characters</i>	114
4.3.3	<i>String Comparison</i>	115
4.3.4	<i>Joining Strings Together</i>	118
4.3.5	<i>Searching for Substrings and Characters</i>	120

4.3.6	<i>Extracting Substrings</i>	122
4.3.7	<i>Erasing and Inserting Substrings</i>	123
4.3.8	<i>Size and Capacity</i>	124
4.3.9	<i>Some Other String Functions</i>	129
4.4	<i>Strings in Java</i>	129
4.4.1	<i>Constructing String and StringBuffer Objects</i>	131
4.4.2	<i>Accessing Individual Characters</i>	134
4.4.3	<i>String Comparison</i>	135
4.4.4	<i>Joining Strings Together</i>	138
4.4.5	<i>Searching and Replacing</i>	139
4.4.6	<i>Erasing and Inserting Substrings</i>	141
4.4.7	<i>Extracting Substrings</i>	141
4.5	<i>Suggestions for Further Reading</i>	142
4.6	<i>Homework</i>	142
5	Using the Container Classes	147
5.1	<i>Container Classes in C++</i>	148
5.1.1	<i>Vector</i>	152
5.1.1.1	<i>List Operations on Vectors</i>	159
5.1.1.2	<i>Vector of Class Type Objects</i>	162
5.1.1.3	<i>Using an Array to Initialize a Vector</i>	166
5.1.2	<i>Deque</i>	168
5.1.3	<i>List</i>	170
5.1.4	<i>Stack</i>	173
5.1.5	<i>Queue</i>	175
5.1.6	<i>Priority_Queue</i>	176
5.1.7	<i>Map</i>	178
5.1.8	<i>Set</i>	180
5.1.9	<i>Generic Algorithms</i>	181
5.2	<i>Containers in Java</i>	182
5.2.1	<i>List</i>	185
5.2.2	<i>Set</i>	189
5.2.3	<i>Map</i>	191
5.2.4	<i>Vector</i>	194
5.2.5	<i>Algorithms for Java Containers</i>	197
5.3	<i>Credits and Suggestions for Further Reading</i>	201
5.4	<i>Homework</i>	201

6	The Primitive Types and Their Input/Output	211
6.1	<i>Tokens, Identifiers, and Variable Names</i>	211
6.2	<i>Primitive Types in C++ and Java</i>	213
6.3	<i>Boolean Type</i>	213
6.4	<i>Character Types</i>	214
6.5	<i>Integer Types</i>	220
6.6	<i>Floating-point Types</i>	222
6.7	<i>Type Conversion for the Primitive Types</i>	223
6.7.1	<i>Implicit Type Conversions in C++</i>	224
6.7.2	<i>Implicit Type Conversions in Java</i>	228
6.7.3	<i>Explicit Type Conversion in C++</i>	232
6.7.4	<i>Explicit Type Conversion in Java</i>	234
6.8	<i>I/O Streams for C++</i>	236
6.8.1	<i>The C++ Stream Hierarchy</i>	237
6.8.2	<i>Input–Output Operations for Character Streams</i>	238
6.8.3	<i>Input–Output Operations for Byte Streams</i>	246
6.8.4	<i>Controlling the Format</i>	252
6.8.5	<i>String Streams</i>	257
6.9	<i>I/O Streams for Java</i>	258
6.9.1	<i>Writing Primitive Types</i>	259
6.9.2	<i>Writing Strings</i>	267
6.9.3	<i>Reading the Primitive Types</i>	271
6.9.4	<i>Reading Strings</i>	273
6.10	<i>Suggestions for Further Reading</i>	274
6.11	<i>Homework</i>	275
7	Declarations, Definitions, and Initializations	287
7.1	<i>When is a Declaration also a Definition?</i>	287
7.2	<i>Are the Defined Variables in C++ Initialized by Default?</i>	290
7.3	<i>Are the Defined Variables in Java Initialized by Default?</i>	298
7.4	<i>Declaration of Pointer Types in C++</i>	302
7.5	<i>Arrays of Pointers in C++</i>	306
7.6	<i>Declaring Multiple Names</i>	308
7.7	<i>Scope of an Identifier in C++</i>	309
7.8	<i>Scope of an Identifier in Java</i>	311
7.9	<i>Arrays and Their Initialization in C++</i>	312

7.10	<i>Arrays and their Initialization in Java</i>	318
7.10.1	<i>A Java Array is an Object</i>	321
7.10.2	<i>java.lang.Arrays Class for Sorting, Searching, etc.</i>	322
7.11	<i>Symbolic Constants</i>	326
7.12	<i>Macros in C++</i>	328
7.13	<i>The Enumeration Type in C++</i>	329
7.14	<i>Suggestions for Further Reading</i>	334
7.15	<i>Homework</i>	334
8	Object Reference and Memory Allocation	339
8.1	<i>Object Reference in C++</i>	339
8.2	<i>Object Reference in Java</i>	342
8.3	<i>Memory Allocation in C++</i>	343
8.4	<i>Memory Allocation in Java</i>	345
8.5	<i>Structures in C++</i>	346
8.6	<i>Homework</i>	349
9	Functions and Methods	353
9.1	<i>Function Declarations</i>	354
9.2	<i>Passing Arguments in C++</i>	354
9.2.1	<i>Passing a Primitive Type Argument by Value</i>	355
9.2.2	<i>Passing a Primitive Type Argument by Pointer</i>	355
9.2.3	<i>Passing a Primitive Type Argument by Reference</i>	357
9.2.4	<i>Passing a Class Type Argument by Value</i>	358
9.2.5	<i>Passing a Class Type Argument by Pointer</i>	359
9.2.6	<i>Passing a Class Type Argument by Reference</i>	361
9.3	<i>Passing Arguments in Java</i>	362
9.3.1	<i>Passing a Primitive Type Argument</i>	362
9.3.2	<i>Passing a Class Type Argument</i>	362
9.4	<i>C++ Functions Returning Reference Types</i>	367
9.5	<i>Function Inlining in C++</i>	368
9.6	<i>Static Variables in C++</i>	370
9.7	<i>const Parameter and Return Type for C++ Functions</i>	371
9.8	<i>final Parameters for Java Methods</i>	372
9.9	<i>Array Arguments</i>	373
9.10	<i>Overloading of Function Names and Constructors in C++</i>	373

9.11	<i>Overload Resolution in Java</i>	378
9.12	<i>Default Arguments for C++ Functions</i>	381
9.13	<i>Pointers to Functions in C++</i>	382
9.14	<i>Suggestions for Further Reading</i>	384
9.15	<i>Homework</i>	385
10	Handling Exceptions	389
10.1	<i>setjmp–longjmp for Multi-Level Return in C</i>	390
10.2	<i>Exception Handling in C++</i>	394
10.3	<i>Usage Patterns for Exception Handling in C++</i>	397
10.4	<i>Differences between C++ and Java for Exception Handling</i>	405
10.5	<i>Java Syntax for Exception Handling</i>	407
10.6	<i>Usage Patterns for Exception Handling in Java</i>	409
10.7	<i>Checked and Unchecked Exceptions in Java</i>	416
10.8	<i>Suggestions for Further Reading</i>	417
10.9	<i>Homework</i>	418
11	Classes, The Rest of the Story	423
11.1	<i>Access Control of Constructors</i>	423
11.1.1	<i>Limiting the Number of Objects</i>	424
11.1.2	<i>Limiting the Access to No-Arg Constructor in C++</i>	426
11.2	<i>Can Multiple Constructors Help Each Other?</i>	429
11.3	<i>Static Members in C++</i>	430
11.3.1	<i>Initialization and Destruction of Static Objects in C++</i>	437
11.4	<i>Static Members in Java</i>	439
11.5	<i>const Member Functions in C++</i>	443
11.6	<i>Self-reference in C++</i>	444
11.7	<i>Self-reference in Java</i>	448
11.8	<i>Destructors in C++</i>	450
11.9	<i>Object Destruction in Java</i>	455
11.10	<i>Copy Constructors and Copy Assignment Operators in C++</i>	460
11.11	<i>Semantics of the Assignment Operator in Java</i>	466
11.12	<i>Object Cloning in Java</i>	467
11.13	<i>Pointers to Class Members in C++</i>	477
11.14	<i>Interleaved Classes</i>	481

11.15	A C++ Study of Interleaved Classes of Moderate Complexity	483
11.16	A Java Study of Interleaved Classes of Moderate Complexity	496
11.17	Suggestions for Further Reading	504
11.18	Homework	504
12	Overloading Operators in C++	513
12.1	Operator Tokens and Operator Functions	514
12.2	Global Overload Definitions for Operators	515
12.3	Member-Function Overload Definitions for Operators	517
12.4	Global Overload Definitions for Unary Operators	520
12.5	Member-Function Overload Definitions for Unary Operators	521
12.6	A Case Study in Operator Overloading	522
12.7	Smart Pointers: Overloading of Dereferencing Operators	536
12.8	Overloading Increment and Decrement Operators	546
12.9	User-Defined Conversions	551
12.10	Overloading of the '()' Operator	555
12.11	Sorting Class Type Objects by Overloading the < Operator	558
12.12	Suggestions for Further Reading	561
12.13	Homework	561
13	Generics and Templates	569
13.1	Templatized Classes and Functions in C++	572
13.1.1	A C++ Implementation of a Linked-List Program	572
13.1.2	A Parameterized Linked-List Program	576
13.1.3	Function Templates in C++	577
13.1.4	Template Specialization	580
13.1.5	General Syntax of a Template Declaration	583
13.2	Iterators Revisited	585
13.2.1	Iterator Categories for Generic Algorithms	585
13.2.2	How to Declare an Iterator	587
13.3	Parameterized Classes in Java	588
13.3.1	Creating Your Own Parameterized Types in Java	591

13.3.2	<i>Parameterization of Methods</i>	596
13.3.3	<i>Constraining the Parameters</i>	599
13.4	<i>Suggestions for Further Reading</i>	602
13.5	<i>Homework</i>	603
14	Modeling Diagrams for OO Programs	607
14.1	<i>Use Case Diagram</i>	608
14.2	<i>Class Diagram</i>	610
14.2.1	<i>Association as a Relationship Between Classes</i>	612
14.2.2	<i>Aggregation and Composition as Relationships Between Classes</i>	613
14.2.3	<i>Representing Attributes</i>	615
14.2.4	<i>Representing Operations</i>	615
14.2.5	<i>Stereotypes</i>	616
14.3	<i>Interaction Diagram</i>	617
14.3.1	<i>Sequence Diagram</i>	617
14.3.2	<i>Collaboration Diagram</i>	623
14.4	<i>Package Diagram</i>	624
14.5	<i>Statechart Diagram</i>	626
14.6	<i>Activity Diagram</i>	631
14.7	<i>Credits and Suggestions for Further Reading</i>	633
14.8	<i>Homework</i>	635
15	Extending Classes	637
15.1	<i>Public Derivation of a Subclass in C++</i>	637
15.2	<i>Constructors for Derived Classes in C++</i>	641
15.3	<i>Copy Constructors for Derived Classes in C++</i>	643
15.4	<i>Assignment Operators for Derived Classes in C++</i>	646
15.5	<i>Overloading Operators for Derived Classes in C++</i>	648
15.6	<i>Destructors for Derived Classes in C++</i>	653
15.7	<i>Virtual Member Functions in C++</i>	659
15.7.1	<i>Restrictions on Virtual Function Declarations</i>	664
15.7.2	<i>Virtual Functions in Multilevel Hierarchies</i>	664
15.7.3	<i>Can Operators Be Made to Behave Polymorphically?</i>	667
15.7.4	<i>Polymorphic Types</i>	667
15.8	<i>Static versus Dynamic Binding for Functions in C++</i>	668
15.9	<i>Restrictions on Overriding Functions in C++</i>	672
15.10	<i>Virtual Destructors in C++</i>	676

15.11	<i>Constructor Order Dependencies in C++</i>	678
15.12	<i>Abstract Classes in C++</i>	681
15.13	<i>Protected and Private Derived Classes in C++</i>	686
15.14	<i>Extending Classes in Java</i>	691
15.15	<i>Restrictions on Overriding Methods in Java</i>	695
15.16	<i>Constructor Order Dependencies in Java</i>	698
15.17	<i>Abstract Classes in Java</i>	699
15.18	<i>Interfaces in Java</i>	702
15.18.1	<i>Implementing Multiple Interfaces in Java</i>	707
15.18.2	<i>Extending Interfaces in Java</i>	708
15.18.3	<i>Constants in Interfaces</i>	711
15.19	<i>A C++ Study of a Small Class Hierarchy with Moderately Complex Behavior</i>	712
15.20	<i>A Java Study of a Small Class Hierarchy exhibiting Moderately Complex Behavior</i>	727
15.21	<i>Credits and Suggestions for Further Reading</i>	736
15.22	<i>Homework</i>	737
16	Multiple Inheritance in C++	743
16.1	<i>Some Examples for MI</i>	744
16.2	<i>Issues that Arise with Repeated Inheritance</i>	751
16.3	<i>Virtual Bases for Multiple Inheritance</i>	753
16.4	<i>Virtual Bases and Copy Constructors</i>	759
16.5	<i>Virtual Bases and Assignment Operators</i>	762
16.6	<i>Avoiding Name Conflicts for Member Functions</i>	769
16.7	<i>Dealing with Name Conflicts for Data Members</i>	771
16.8	<i>Implementation of an Example in Repeated Inheritance</i>	773
16.9	<i>Using Mixin Classes</i>	782
16.10	<i>Using Role-Playing Classes</i>	790
16.11	<i>Run-Time Type Identification in C++</i>	802
16.12	<i>Credits and Suggestions for Further Reading</i>	804
16.13	<i>Homework</i>	804
17	OO for Graphical User Interfaces, A Tour of Three Toolkits	811
17.1	<i>A Brief History of GUI Toolkits</i>	812
17.2	<i>AWT/Swing Components</i>	815
17.3	<i>Qt Widgets</i>	817
17.4	<i>GNOME/GTK+ Widgets</i>	817

17.5	<i>Minimalist GUI Programs in AWT/Swing</i>	818
17.6	<i>Minimalist GUI Programs in Qt</i>	823
17.7	<i>Minimalist Programs in GNOME/GTK+</i>	826
17.8	<i>Layout Management in GUI Programs</i>	830
17.9	<i>Layout Management in AWT/Swing</i>	831
17.9.1	<i>Border Layout</i>	832
17.9.2	<i>Flow Layout</i>	834
17.9.3	<i>Box Layout</i>	837
17.9.4	<i>Grid Layout</i>	841
17.9.5	<i>Card Layout</i>	843
17.9.6	<i>Grid-Bag Layout</i>	847
17.10	<i>Layout Management in Qt</i>	852
17.10.1	<i>Box Layout</i>	853
17.10.2	<i>Grid Layout</i>	856
17.11	<i>Layout Management in GNOME/GTK+</i>	859
17.11.1	<i>Box Layout</i>	859
17.11.2	<i>Table Layout</i>	861
17.12	<i>Event Processing in GUI Programs</i>	864
17.13	<i>Event Processing in AWT/Swing</i>	867
17.13.1	<i>An Example in Inter-Component Communication in AWT/Swing</i>	875
17.14	<i>Event Processing in Qt</i>	880
17.14.1	<i>A Qt Example that requires Meta Object Compilation</i>	883
17.14.2	<i>Summary of Facts about Signals and Slots</i>	892
17.15	<i>Event Processing in GNOME/GTK+</i>	893
17.15.1	<i>Communicating Events to Other Widgets in GNOME/GTK+</i>	894
17.15.2	<i>Summary of Facts about Callbacks in GNOME/Gtk+</i>	901
17.16	<i>Windows with Menus in AWT/Swing</i>	903
17.17	<i>Windows with Menus in Qt</i>	908
17.18	<i>Windows with Menus in GNOME/GTK+</i>	916
17.19	<i>Drawing Shapes, Text, and Images in AWT/Swing</i>	925
17.20	<i>Drawing Shapes, Text, and Images in Qt</i>	940
17.21	<i>Drawing Shapes, Text, and Images in Gnome/GTK+</i>	948
17.22	<i>Java Applets</i>	958
17.22.1	<i>Life Cycle of an Applet</i>	959
17.22.2	<i>The Applet Tag</i>	960

17.22.3	<i>An Applet Example</i>	962
17.22.4	<i>Dual-Purpose Programming for Applets</i>	970
17.22.5	<i>The AppletContext Interface</i>	973
17.22.6	<i>Security Issues Related to Applets</i>	978
17.23	<i>Credits and Suggestions for Further Reading</i>	980
17.24	<i>Homework</i>	980
18	Multithreaded Object-Oriented Programming	985
18.1	<i>Creating and Executing Simple Threads in Java</i>	986
18.2	<i>The Runnable Interface in Java</i>	990
18.3	<i>Thread States</i>	992
18.4	<i>Thread Interference in Java</i>	993
18.5	<i>Thread Synchronization in Java</i>	1001
18.6	<i>Java's wait-notify Mechanism for Dealing with Deadlock</i>	1005
18.7	<i>Data I/O Between Threads in Java</i>	1010
18.8	<i>Java Threads for Applets</i>	1012
18.9	<i>The Event Dispatch Thread in AWT/Swing</i>	1015
18.10	<i>Multithreaded Programming in C/C++</i>	1024
18.10.1	<i>Demonstrating Thread Interference with POSIX Threads</i>	1030
18.10.2	<i>MUTEX for Dealing with POSIX Thread Interference</i>	1032
18.10.3	<i>POSIX Threads: Condition Variables and the wait-signal Mechanism for Dealing with Deadlock</i>	1035
18.11	<i>Object-Oriented Multithreading in C++</i>	1040
18.12	<i>Credits and Suggestions for Further Reading</i>	1046
18.13	<i>Homework</i>	1047
19	Network Programming	1049
19.1	<i>Establishing Socket Connections with Existing Servers in Java</i>	1050
19.2	<i>Server Sockets in Java</i>	1053
19.3	<i>Establishing Socket Connections with Existing Servers in C++</i>	1059
19.4	<i>Server Sockets in C++ (Qt)</i>	1066
19.5	<i>Suggestions for Further Reading</i>	1075
19.6	<i>Homework</i>	1075

20 Database Programming	1137
20.1 <i>Relational Databases</i>	1138
20.2 <i>The MySQL Database Manager</i>	1140
20.3 <i>SQL</i>	1141
20.4 <i>JDBC Programming: Invoking SQL through Java</i>	1152
20.5 <i>Mysql++ Programming: Invoking SQL through C++</i>	1157
20.6 <i>Suggestions for Further Reading</i>	1163
20.7 <i>Homework</i>	1163
Index	1165

Index

- *
 - as iteration marker (UML), 599
 - for iterator dereferencing (C++), 154
 - for multiple triggers (UML), 613
 - for pointer dereferencing, 519
 - for representing multiplicity (UML), 593
 - to show all columns (SQL), 1062
 - &
 - address operator (C++), 297
 - for iterator initialization (C++), 157
 - >, member access operator (C++), 519
 - >* (C++), 463
 - //, 9, 14
 - :: (C++), 61, 619
 - 1.* (UML), 593
 - [] (C++), 114, 150, 510
 - * (C++), 463
 - #, for protected visibility (UML), 595
 - , for private visibility (UML), 595
 - +, for public visibility (UML), 595
 - ! =, 152, 513
 - , 154
 - ++, 154
 - << (C++), 9, 628
 - >> (C++), 16
 - ==
 - (C++), 78, 115, 152, 171, 513
 - (Java), 79, 135
 - < (C++), 79, 171, 176, 178, 182
 - <= (C++), 152
 - > (C++), 152, 513
 - >= (C++), 152
 - <<>> (UML), 596
-
- A**
- abort() (C++), 23, 393
 - absolute positioning for layout, 810
 - abstract
 - a keyword, 677
 - class, 73, 75, 617, 660, 677, 761
 - function, 662
 - method, 662
 - AbstractCollection (Java), 75–76
 - AbstractList (Java), 75–76
 - AbstractShape.cc, 661
 - AbstractShapeIncremental.cc, 662
 - AbstractShapeIncremental.java, 678
 - Abstract Window Toolkit (AWT/Swing), 793
 - accelerator, keyboard, 889, 895
 - accept() (Java), 1032, 1045
 - Access, 1059
 - access control, 3, 30, 71
 - package, 71
 - private, 34, 38, 71
 - protected, 71
 - public, 34, 38, 71
 - acl.read property (Java), 957
 - acl.write property (Java), 957
 - acquiring lock

- on a class, 979
 - on an object, 979
- ActionEvent (AWT/Swing), 882
- ActionListener (AWT/Swing), 845, 847, 850, 882–883, 941, 954
- actionPerformed() (AWT/Swing), 850, 882, 884, 941
- action (UML), 606
- activate() (Qt), 833, 836
- activation (UML), 602
 - icon, 598
- activity
 - diagram (UML), 588, 611
 - state (UML), 606
- actor (UML), 588
- adapter
 - class (AWT/Swing), 680, 845
 - container (C++), 151, 173, 175
- ADD (SQL), 1069
- add() (Java), 182, 186, 190
- addActionListener() (AWT/Swing), 799, 848, 850
- addAll() (Java), 186
- AddArray1.c, 6
- AddArray2.c, 7
- AddArray.cc, 7
- AddArray.java, 10
- addComponentListener() (AWT/Swing), 852
- addElement() (Java), 194, 196
- addFocusListener() (AWT/Swing), 852
- addImage() (AWT/Swing), 915
- addItemListener() (AWT/Swing), 822
- addKeyListener() (AWT/Swing), 852
- addMouseListener() (AWT/Swing), 852
- addMouseMotionListener() (AWT/Swing), 852
- addMultiCellWidget() (Qt), 836
- addWidget() (Qt), 833, 835–836
- addWindowListener() (AWT/Swing), 799, 848, 850
- adjacent_find() (C++), 567
- affine transformation, 919, 928
- aggregation (UML), 591, 594
- algorithm, a C++ header file, 8
- ALIGN, 937–938
- alignment (Qt), 833
- ALT, 938
- ALTER (SQL), 1067, 1069
- ALTER TABLE (SQL), 1062
- American National Standards Institute, 8
- amortized constant-time complexity, 151
- anchor
 - (C), 927
 - (Java), 827
- animated applets, 964
- animation, 990
- Animator.java, 991
- anonymous class (Java), 571, 850
- ANSI, 8
- API, Application Programming Interface, 791
- app (C++), 238–239
- append()
 - (C++), 119
 - (Java), 133, 138
- append file mode
 - (C++), 239
 - (Java), 267
- APPLET tag (HTML), 937–938, 947
- Applet (Java), 936
- applet (Java)
 - animated, 964
 - context, 951
 - security, 936
- appletviewer tool (Java), 956, 937, 947
- application, 13
 - programming interface, 791
- approximate numerics (SQL), 1060
- argc, 20, 804
- argument-dependent name lookup (C++), 70
- argument object, 503
- argv, 20, 804
- ArithmeticException (Java), 409
- arithmetic types (C++), 223
- arity of an operator, 498, 504
- array
 - (C), 6
 - (Java), 14
 - declaration
 - (C++), 306
 - (Java), 311
 - initialization
 - (C++), 301, 308
 - (Java), 311
 - of pointers (C++), 300
 - parameter (C), 7
- ArrayBasic.java, 313
- array-like random access, 150
- ArrayList (Java), 75, 185–186, 194, 569, 205, 1034, 569
- Arrays (Java), 55, 315
- ArraysFill.java, 316
- ArraySizeOf.cc, 128
- ArraysShuffle.java, 317
- ASCII, 109, 212, 214–215, 218, 247
- asList() (Java), 201, 315
- assert() (C++), 121
- assign() (C++), 129
- assignment operator
 - (C++), 452
 - for derived class, 626
 - (Java), 455
- AssignTest.java, 456
- association (UML), 591, 769
 - bidirectional, 593

- binary, 593
 - multiplicity, 592
 - reflexive, 593
 - rolename, 592
 - associative container (C++), 151, 565
 - asynchronous
 - image loading, 915
 - method invocation, 601
 - at() (C++), 114
 - ate (C++), 239, 248
 - atomic components
 - (AWT/Swing), 794
 - (GNOME/GTK+), 796
 - (Qt), 795
 - attribute(s)
 - (UML), 590
 - of POSIX threads, 1003
 - representation (UML), 595
 - visibility (UML), 595
 - automatic type conversion
 - (C++), 224
 - (Java), 228
 - for assignment, 223
 - for conversion of operands to common type, 223
 - for conversion of returned value, 223
 - for initialization, 223
 - for matching argument with parameter, 223
 - for primitive types, 223
 - auto_ptr (C++), 529
 - AWT (Java), 794, 790–792
 - thread, 993
-
- B**
- back() (C++), 157, 174–175
 - bad() (C++), 243
 - base
 - class, 31
 - (C++), 42
 - (Java), 47, 669
 - private (C++), 618
 - protected (C++), 618
 - public (C++), 618
 - slice, 622
 - indirect, 732
 - virtual (C++), 731
 - baseline for drawing a string, 908
 - basic ifstream<char> (C++), 237
 - basic ifstream<wchar_t> (C++), 237
 - basic istream<char> (C++), 237
 - basic istream<wchar_t> (C++), 237
 - basic ostream (C++), 8
 - basic_string (C++), 113
 - begin() (C++), 154, 565
 - behavior of a class, 29
 - BidirectionalIterator (C++), 566–568
 - big-endian, 134, 221, 250, 259
 - binary, 239
 - I/O
 - (C++), 247
 - (Java), 259
 - mode, 246
 - mode for I/O (C), 20
 - numeric promotion, 215, 227, 232
 - operator, 499
 - stream (C++), 246
 - association (UML), 593
 - BinaryFileIO.cc, 247
 - BinaryFileIO2.cc, 248
 - BinaryFileIO3.cc, 251
 - binary_search (C++), 182
 - binarySearch() (Java), 316
 - BIT (SQL), 1061
 - BIT (n) (SQL), 1061
 - bitset
 - a C++ container class, 150, 152
 - a C++ header file, 8
 - bit strings (SQL), 1060
 - BIT VARYING (n) (SQL), 1061
 - block, 304
 - nested (C++), 304
 - scope
 - (C++), 66, 303–304
 - (Java), 305
 - blocked state, 970
 - blocking
 - inheritance (Java), 49, 680
 - I/O, 16
 - BlockInheritance.cc, 52
 - BlockInheritance.java, 49
 - BlockInheritance2.java, 50
 - bool (C++), 213
 - boolean (Java), 19, 211, 213
 - bootclasspath (Java), 571
 - Border (AWT/Swing), 810, 813
 - BorderFactory (AWT/Swing), 810, 813, 817, 822
 - BorderLayout (AWT/Swing), 799–800, 809–810, 817
 - BorderLayoutTest.java, 810
 - born state, 967, 970
 - BOTH (AWT/Swing), 826
 - BOTTOM (AWT/Swing), 813, 822
 - bottom_attach (GNOME/GTK+), 840
 - BoxLayout (AWT/Swing), 809, 815
 - BoxLayoutTest.java, 817
 - bridge driver, 1055
 - brighter() (AWT/Swing), 905
 - browser, 936–938
 - Java enabled, 939
 - JVM, 937, 940, 942–943
 - BufferedOutputStream (Java), 264
 - BufferedReader (Java), 1029, 205
 - buffered TCP socket, 1038

- buffer flushing, 258
 - buffering of a stream, 258
 - byte (Java), 221
 - bytecode (Java), 11
 - byteWritten() (Qt), 1038
-
- C**
- callback, 807, 844, 871, 873, 879, 932
 - capacity, 197
 - (C++), 124
 - (Java), 132
 - capacity() (Java), 132
 - CardLayout (AWT/Swing), 809, 821
 - CardLayoutTest.java, 822
 - CASE_INSENSITIVE_ORDER, 137
 - case label, 305
 - cast, 117, 223, 232, 234
 - casting away const (C++), 781
 - catch clause
 - (C++), 389
 - (Java), 400
 - C++ compilation, 5
 - with CC, 10
 - with g++, 9
 - CDE, 791
 - CENTER (AWT/Swing), 810, 813, 819, 822, 827
 - cerr (C++), 21, 23, 239
 - changeUpdate() (AWT/Swing), 854
 - char, 213–214, 218, 796
 - signed, 796
 - unsigned, 796
 - char* (C), 108
 - CHAR (n) (SQL), 1060–1061
 - CHAR (SQL), 1061
 - CHARACTER
 - (SQL), 1061
 - VARYING(n) (SQL), 1061
 - CHARACTER(n) (SQL), 1061
 - Character (Java), 194
 - character, 211
 - constant, 215
 - escape, 215
 - literal, 215
 - strings (SQL), 1060
 - charAt() (Java), 134
 - CharEscapes.cc, 216
 - CharEscapes.java, 219
 - ChatServer
 - (C++), 1045
 - (Java), 1031
 - ChatServer.cc, 1048
 - ChatServer.h (Qt), 1047
 - ChatServer.java, 1035
 - C header files used in C++, 386
 - C++ header files, 8
 - algorithm, 8
 - bitset, 8
 - complex, 8
 - deque, 8
 - exception, 8
 - fstream, 8
 - functional, 8
 - iomanip, 8
 - ios, 8
 - iosfwd, 8
 - iostream, 8
 - istream, 8
 - iterator, 8
 - limits, 8
 - list, 8
 - locale, 8
 - map, 8
 - memory, 8
 - new, 8
 - numeric, 8
 - ostream, 8
 - queue, 8
 - set, 8
 - sstream, 8
 - stack, 8
 - stdexcept, 8
 - streambuf, 8
 - string, 8
 - typeinfo, 8
 - utility, 8
 - valarray, 8
 - vector, 8
 - checked exception (Java), 25, 399, 408
 - cin (C++), 16–17, 239
 - class, 2, 29
 - abstract, 617
 - anonymous (Java), 850
 - base, 31
 - (C++), 42
 - (Java), 47
 - behavior of, 29
 - concrete, 76
 - definition
 - (C++), 32
 - (Java), 37
 - derivation
 - private (C++), 664
 - protected (C++), 664
 - public (C++), 617
 - (Java), 669
 - derived, 31
 - (C++), 42, 617
 - (Java), 46, 669
 - diagram (UML), 588, 590
 - conceptual, 592
 - implementation, 592
 - specification, 592

- extended
 - (C++), 42, 617
 - (Java), 46, 669
 - field of, 30
 - generic, 547
 - hierarchy, 30
 - IsA, 31
 - role-based, 768
 - inner (Java), 91
 - instance of, 29
 - mixin, 721, 760–761
 - nested, 89
 - static (Java), 89
 - parameterized
 - (C++), 555
 - (Java), 568
 - relationship
 - HasA, 591
 - IsA, 591
 - responsibility (UML), 592
 - role playing, 721, 768
 - scope operator (C++), 36
 - sub-, 31
 - super-, 31
 - template, 547
 - (C++), 83, 555
 - (Java), 574
 - variable, 422
- ClassCastException (Java), 409, 568–569, 706
- CLASSPATH environment variable, 12
- classpath (Java), 11, 57, 570
 - option, 5
- clear() (Java), 182
- clicked, a signal, 807
- clicked()
 - (GNOME/GTK+), 871
 - (Qt), 859
- client, 1027–1028
- ClientHandler
 - (C++), 1046
 - (Java), 1031–1032
- client–server networking model, 1027
- ClientSocket.cc, 1041
- ClientSocket.h (Qt), 1040
- clone() (Java), 456–457
- CloneArray1.java, 460
- Cloneable (Java), 75–76, 457
- CloneableX.java, 458
- CloneBasic.java, 458
- CloneClassTypeArr.java, 462
- CloneNotSupportedException (Java), 457
- cloning (Java), 457
- close() (C++), 23
- Closing (Qt), 1039
- closing
 - a stream
 - (C++), 23, 247, 251
 - (Java), 24, 261, 263, 266
- CODE, 938
- CODEBASE, 938
- collaboration diagram (UML), 597, 603
- Collator (Java), 145
- Collection (Java), 75, 182, 184
 - GJ, 571
 - view, 193
- CollectionMaxGeneric.java, 577
- Collections (Java), 197
 - Framework, 80
- Color (AWT/Swing), 810, 813, 905
- command-line
 - arguments
 - (C++), 19, 801
 - (Java), 24
 - compilation, 5
 - (C++), 9
 - (Java), 11
 - (Qt), 802
- comma separated values, 1073
- comment delimiters, 9
- commenting code, 9, 14
- Common Desktop Environment, 791
- communication (UML), 590
- communication association (UML), 590
- Comparable (Java), 81, 136, 579
- Comparator (Java), 137, 145, 183, 186, 198, 576–577, 579
- compare()
 - (C++), 115
 - (Java), 137
- compareTo() (Java), 81, 135–136, 183, 186
- comparing objects, 77
- compiling
 - (C++), 5, 9
 - (GNOME/GTK+), 805
 - (Java), 11
 - (Qt), 802, 862
- complex, a C++ header file, 8–9
- Component (AWT/Swing), 797, 852, 903–904, 916
- component
 - heavyweight (AWT/Swing), 793
 - lightweight (AWT/Swing), 793
 - peered (AWT/Swing), 793
 - peerless (AWT/Swing), 793
- ComponentEvent (AWT/Swing), 852
- composite key (SQL), 1062
- composition (UML), 591, 594
- compound stream (Java), 264
- concat() (Java), 129
- conceptual perspective (UML), 592
- concrete class, 76
- concurrent

- computing, 963
 - processing, 602
 - statechart diagram (UML), 608
 - ConcurrentModificationException, 189, 205
 - condition
 - function (C++), 243
 - synchronization bar (UML), 611
 - variable (POSIX), 1010, 1013
 - connect
 - declaration (Qt), 844
 - signal with slot (Qt), 859
 - connect() (Mysql++), 1076
 - connected() (Qt), 1038
 - Connecting (Qt), 1039
 - connectionClosed() (Qt), 1038
 - Connection
 - (Java), 1059, 1070
 - (Mysql++), 1075
 - connectToHost() (Qt), 1038
 - const (C++), 51, 76, 292, 317, 595
 - char*, 108, 116
 - function parameter, 345, 363
 - member function, 435
 - return type from a function, 364
 - constant-time complexity, 150
 - const_cast (C++), 234, 781
 - const_iterator (C++), 169, 568
 - ConstRefReturn.cc, 359
 - const_reverse_iterator (C++), 568
 - constructor, 33, 38
 - derived class
 - (C++), 621
 - (Java), 669
 - no-arg
 - (C++), 43, 286, 288–289, 307, 621, 623
 - (Java), 47, 296–297, 312–313, 669
 - one-arg, for implicit type conversion (C++), 535
 - order dependencies
 - (C++), 657
 - (Java), 676
 - overloading
 - (C++), 366
 - (Java), 371
 - ConstructorLeak.cc, 521
 - ConstructorLeakPlugged.cc, 528
 - ConstructorOrder.cc, 657
 - ConstructorOrderFoo.cc, 659
 - ConstructorOrderFoo.java, 676
 - Container (AWT/Swing), 797, 904
 - container
 - classes
 - (C++), 148
 - (Java), 182
 - GUI
 - intermediate (AWT/Swing), 794
 - intermediate (GNOME/GTK+), 796
 - intermediate (Qt), 795
 - top-level (AWT/Swing), 793
 - top-level (GNOME/GTK+), 796
 - top-level (Qt), 795
 - containment hierarchy, 793, 801–802
 - content pane (AWT/Swing), 797–798
 - conversion specifier (C), 15
 - coordinate transformation, 910, 919
 - copy
 - assignment operator (C++), 166, 450, 452, 508
 - prototype, 452
 - constructor (C++), 113, 450, 452, 507
 - example definition, 452
 - for derived class, 624
 - for multiple bases, 625
 - prototype, 452
 - on return from function (C++), 359
 - copy() (C++), 206, 566
 - CopyAssignX.cc, 454
 - copyInto() (Java), 195
 - CopyOnReturn.cc, 358
 - CountDestructorInvoc1.cc, 377
 - CountDestructorInvoc2.cc, 378
 - CountDestructorInvoc3.cc, 378
 - CountDestructorInvoc4.cc, 379
 - CountDestructorInvoc5.cc, 380
 - CountDestructorInvoc6.cc, 381
 - cout (C++), 8, 23, 239
 - cp, for classpath (Java), 570
 - CrazyWindow.c, 874
 - CrazyWindow.cc, 864
 - CrazyWindow.h (Qt), 864
 - CrazyWindow.java, 855
 - createEmptyBorder() (AWT/Swing), 817
 - createHorizontalGlue() (AWT/Swing), 816–817
 - createHorizontalTextPosition() (AWT/Swing), 822
 - createLineBorder() (AWT/Swing), 810, 813, 819, 822
 - createRigidArea() (AWT/Swing), 815, 817
 - createStatement() (Java), 1070
 - CREATE TABLE (SQL), 1060, 1063, 1073
 - createVerticalGlue() (AWT/Swing), 816
 - .cshrc, 570
 - C++ Standard Library, 8
 - c_str() (C++), 114
 - C-style string, 108
 - csv, 1073
 - cur (C++), 241
 - currentTimeMillis() (Java), 55–56
-
- D**
- daemon thread, 1003, 1025
 - darker() (AWT/Swing), 905
 - DashDotLine (Qt), 921
 - DashLine (Qt), 921
 - data

- abstractions, uncoupling of, 726
- encapsulation, 29
- hiding, 30
- member, 29, 32, 37
- database, 1055
 - desktop-based, 1057
 - driver, 1055, 1058
 - management system, 1058
 - programming, 2
 - relational, 1056–1057
 - server-based, 1057
 - URL, 1059
- DataInputStream (Java), 271, 273, 990
- DataOutputStream (Java), 264, 269–270, 990
- Date.cc, 425
- Date.java, 432
- DATE (SQL), 1061
- datetimes (SQL), 1060
- DB2, 1059
- dBase, 1059
- DBFriends1.java, 1071
- DBFriends2.java, 1074
- deadlock, 1013, 983
 - irresolvable, 987
- dead state, 970
- dec, a stream manipulator (C++), 253
- DECIMAL (SQL), 1061
- decimal integer literal, 221
- decision activity (UML), 612
- declaring
 - an identifier, 283
 - multiple names, 302
 - pointer types (C++), 297
- decompiling (Java), 975
- decrement operator, overloading of (C++), 529
- default
 - arguments for C++ functions, 373,
 - initialization
 - array, 307,
 - (C++), 286
 - (Java), 293
 - template parameter (C++), 564
 - layout manager, 809
- DefaultInit.cc, 287
- DefaultInit.java, 294
- DefaultInit2.cc, 288
- DefaultInit2.java, 295
- DefaultInit3.cc, 289
- DefaultInit3.java, 296
- DefaultInit4.cc, 290
- DefaultInitClassArray.cc, 309
- DefaultInitClassArray2.cc, 310
- DefaultInitPrimArray.cc, 308
- #define (C++), 319
- defining an identifier, 283
- delayedClosedFinished() (Qt), 1038
- DELETE (SQL), 1068
- delete (C++), 34, 46, 299, 334, 443, 520, 633
- delete() (Java), 141
- delete[] (C++), 46, 334, 444, 520
- deleteCharAt() (Java), 135
- delimiter character, 192, 211
- depth index, 798
- deque
 - a C++ container class, 149–150, 168, 174, 567
 - a C++ header file, 8
- DequeFront.cc, 168
- dereferencing
 - an iterator (C++), 154
 - a pointer (C++), 297
 - operator (C++), 519
- derivation
 - class (C++)
 - private, 664
 - protected, 664, 728
 - public, 617
 - class (Java), 669
- DerivedAssignOp.cc, 626
- derived class, 31
 - (C++), 42
 - private, 664
 - protected, 664
 - public, 621
 - constructor, 621
 - copy constructor, 624
 - destructor, 632
 - (Java), 47,
 - constructor, 669
- DerivedConstructor.cc, 621
- DerivedConstWithBaseNoArg.cc, 622
- DerivedCopyConstruct.cc, 624
- DerivedDestructCase1.cc, 633
- DerivedDestructCase2.cc, 634
- DerivedDestructCase3.cc, 636
- DerivedNameConflict.cc, 620
- DerivedOverloadOp.cc, 629
- DESCRIBE (SQL), 1064, 1069
- deselecting a layout manager, 830
- design patterns, 3, 789
- desktop-based database, 1057
- Dest.cc, 54
- destroy() (AWT/Swing), 937
- Destruct.cc, 441
- Destruct2.cc, 442
- destructor (C++), 34, 54, 166, 507, 617
 - default definition, 633
 - explicit invocation, 446
 - for derived class, 632
 - virtual, 727, 781
- DestructorNecessary.cc, 444
- DestructWhenNot.cc, 445
- detachstate (POSIX), 1003

- diamond class hierarchy (C++), 785
 - DiffScope.cc, 370
 - Dimension (AWT/Swing), 813, 815–817
 - Dining Philosophers Problem, 1025
 - directive, using (C++), 9, 64
 - disjunctive activity (UML), 612
 - dispatcher thread (Java), 965
 - DNS lookup, 1038
 - Document (AWT/Swing), 854
 - DocumentEvent (AWT/Swing), 847, 854
 - DocumentListener (AWT/Swing), 847, 854
 - DotLine (Qt), 921
 - double, 213, 222
 - largest positive value, 222
 - precision, 222
 - smallest positive value, 222
 - DOUBLE PRECISION (SQL), 1061
 - downcasting (C++), 780
 - dramatic result set (Mysql++), 1077
 - drawImage() (AWT/Swing), 916
 - drawRect()
 - (AWT/Swing), 905
 - (Qt), 920
 - drawString() (AWT/Swing), 908
 - driver manager, 1059
 - DriverManager (Java), 1059, 1070
 - DROP TABLE (SQL), 1062, 1067
 - DuplicateBase.cc, 743
 - dynamically expandable array, 75
 - dynamic binding (C++), 647
 - dynamic_cast (C++), 234, 700, 780
 - with object reference, 781
-
- E**
- EAST (AWT/Swing), 810, 827
 - ECHO network service, 1028
 - elementAt() (Java), 195
 - EMBED tag, 947
 - emission
 - of event, 844
 - of signal, 844
 - Employee.h, 694
 - empty
 - space (AWT/Swing)
 - glue, 815
 - invisible component, 815
 - rigid area, 815
 - string
 - (C++), 113
 - (Java), 132
 - empty() (C++), 174–175
 - encapsulation, 3, 29–30
 - in simulated OO in C, 95
 - EnclosedClassAccess.cc, 87
 - EnclosingClassAccess.java, 90
 - end() (C++), 154, 565
 - endl, a stream manipulator (C++), 255
 - end-of-file, 16
 - ends, a stream manipulator (C++), 255
 - endsWith() (Java), 141
 - entrySet() (Java), 194
 - enum (C++), 88, 214, 319
 - Enum.cc, 320
 - enumerator (C++), 320
 - EnumWithLabelArray.cc, 323
 - EOF (C), 21
 - eof() (C++), 23, 243
 - equality operator (C++), 513
 - EqualityTest.java, 80
 - equals() (Java), 79, 135
 - erase() (C++), 123, 159, 180, 208
 - erase substring
 - (C++), 123
 - (Java), 141
 - ErrConnectionRefused (Qt), 1040
 - ErrHostNotFound (Qt), 1040
 - error(), 1038
 - error code, returned by pthread function (POSIX), 1003
 - error indicators for I/O stream (C), 21
 - Error (Java), 408
 - ErrSocketRead (Qt), 1040
 - escape
 - hexadecimal, 215
 - octal, 215
 - sequence, 215
 - event, 932
 - definition, 842
 - emission, 844
 - high-level (AWT/Swing), 845
 - high-level (Qt), 858
 - in UML, 606
 - low-level (AWT/Swing), 845
 - low-level (Qt), 858
 - processing, 842
 - by macros and messages, 844
 - by virtual function (Qt), 844
 - loop, 844
 - loop (AWT/Swing), 845, 857, 993
 - loop (GNOME/GTK+), 871
 - loop (Qt), 802, 858
 - queue, 842
 - source, 845
 - eventDestroy() (GNOME/GTK+), 807, 873
 - Event Dispatch Thread (AWT/Swing), 857, 942, 964–965, 993, 995, 999
 - Event[Guard]/Action (UML), 606
 - EventThreadDemo.java, 993
 - EventThreadDemo2.java, 995
 - “exactly one superclass” rule (Java), 680
 - exact numerics (SQL), 1060
 - Excel, 1059

- Exception (Java), 399
 - exception
 - a C++ header file, 8–9
 - checked (Java), 399, 408
 - handler, 389
 - handling, differences between C++ and Java, 399
 - specification
 - (C++), 393
 - (Java), 403, 674
 - unchecked (Java), 399, 408
 - ExceptionUsage1.cc, 392
 - ExceptionUsage1.java, 402
 - ExceptionUsage2.cc, 392
 - ExceptionUsage2.java, 403
 - ExceptionUsage3.cc, 393
 - ExceptionUsage3.java, 403
 - ExceptionUsage4.cc, 394
 - ExceptionUsage4.java, 404
 - ExceptionUsage5.cc, 395
 - ExceptionUsage5.java, 405
 - ExceptionUsage6.cc, 396
 - ExceptionUsage6.java, 406
 - ExceptionUsage7.cc, 397
 - ExceptionUsage7.java, 407
 - ExceptionUsage8.cc, 397
 - ExceptionUsage9.cc, 398
 - exec() (Qt), 802, 831–832, 834, 836
 - executable class, 13
 - execute() (MySQL++), 1076
 - executeQuery() (Java), 1070
 - exit()
 - (C), 19–20
 - (C++), 23
 - EXIT_FAILURE (C), 19–20
 - expand (GNOME/GTK+), 838
 - expandable empty space (AWT/Swing), 816
 - ExplicitCast1.cc, 232
 - ExplicitCast1.java, 234
 - ExplicitCast2.cc, 233
 - ExplicitCast2.java, 235
 - explicit
 - constructor invocation (Java), 422
 - keyword for suppressing implicit type
 - conversion (C++), 527, 535–536
 - type conversion, 223
 - (C++), 232, 234, 618
 - (Java), 234
 - extend (UML), 590
 - extended
 - class (C++), 42
 - class (Java), 47,
 - extending
 - a class
 - C++, 664,,
 - Java, 669
 - an interface (Java), 686
 - extends (Java), 47, 669
 - extension point (UML), 590
 - extern, 69
 - “C” directive (C++), 386, 488
 - extracting substring
 - (C++), 122
 - (Java), 141
 - extraction operator (C++), 16
-
- F**
- fail() (C++), 243
 - fail-fast (Java), 189, 204
 - fast mutex (POSIX), 1011
 - fclose() (C), 19
 - ferror() (C), 19
 - fileid, 30, 32, 37
 - FILE* (C), 20
 - FileCopy.c, 19
 - FileCopy.cc, 21
 - FileCopy.java, 23
 - FileDialog (AWT/Swing), 883
 - FileInputStream (Java), 24
 - FileOutputStream (Java), 262, 270
 - file
 - pointer
 - (C), 20
 - (C++), 239
 - (Java), 266
 - scope (C++), 303–304
 - FileReader (Java), 27, 205
 - FileWriter (Java), 263, 266, 269
 - fill
 - (AWT/Swing), 826
 - (GNOME/GTK+), 838
 - (Qt), 920
 - methods for Java arrays, 315
 - methods for C++ containers, 182
 - fill()
 - (C++), 253
 - (Java), 316
 - fill_color, 927
 - Filler (AWT/Swing), 816
 - fillOval() (AWT/Swing), 908
 - finalization (Java), 55, 446
 - finalize() (Java), 55, 446–447
 - finalizer thread (Java), 965
 - final (Java), 317, 365, 595, 690
 - for blocking inheritance, 49
 - for read-only variable, 51, 76
 - function parameter, 345
 - finally (Java), 401, 405
 - find() (C++), 120, 159, 182, 565–566
 - find_first_not_of() (C++), 120
 - find_first_of() (C++), 120
 - find_last_not_of() (C++), 120

- find_last_of() (C++), 120
 - FINGER network service, 1028
 - fi rst (C++), 179
 - fi rst-in fi rst-out scheduling, 1004
 - FirstWindow.c, 805
 - FirstWindow.cc, 801
 - FirstWindow.java, 796
 - FirstWindowWithButton.c, 806
 - FirstWindowWithButton.cc, 803
 - FirstWindowWithButton.java, 799
 - fi xed, a stream manipulator (C++), 255
 - flat fi le, 1073
 - FLOAT (SQL), 1061
 - float, 213, 222
 - largest positive value, 222
 - precision, 222
 - smallest positive value, 222
 - floating
 - a component, 809
 - pallet, 798
 - toolbar, 798
 - floating-point, 211
 - arithmetic
 - rounding modes, 227
 - exponent, 222
 - fraction, 222
 - literal, 223
 - mantissa, 222
 - overflow, 222
 - precision, 222
 - sign, 222
 - types, 222
 - underflow, 222
 - FlowLayout (AWT/Swing), 794, 800, 809, 812
 - FlowLayoutTest.java, 813
 - flush, a stream manipulator (C++), 255
 - flushing an output stream buffer (C++), 255
 - FOC, focus of control (UML), 602
 - FocusEvent (AWT/Swing), 852
 - focus of control (UML), 602
 - Font (AWT/Swing), 908
 - font, default, 908
 - FontFamilies.java, 908
 - fopen() (C), 19–20
 - FOREIGN KEY (SQL), 1061
 - format state of a stream (C++), 252
 - ForwardIterator (C++), 566–567
 - fprintf() (C), 19
 - Frame (AWT/Swing), 794
 - FRAMESET tag, 952
 - free-form sketching, 919
 - friend (C++), 53, 72, 420, 503, 628
 - Friend.cc, 72
 - front() (C++), 157, 175
 - frozen (UML), 595
 - fstream
 - a C++ header fi le, 8, 22, 238
 - a read and write stream (C++), 239
 - FTP network service, 1028
 - function
 - calling modes
 - differences between C++ and Java, 357
 - call operator (C++), 538
 - inlining (C++), 345, 360
 - object (C++), 79, 176, 207, 538
 - overloading, 345
 - (C++), 366, 368
 - overriding, 44
 - (C++), 46, 49
 - (Java), 47
 - parameterized
 - (C++), 557
 - (Java), 577
 - prototype (C++), 22, 346
 - prototype scope (C++), 303, 305
 - scope (C++), 303, 305
 - signature, 369, 651
 - stack, 388
 - template
 - (C++), 556–557
 - (Java), 577
 - virtual (C++), 44
 - vs. method, 345
 - functional, a C++ header fi le, 8, 176
 - functor (C++), 538, 693
 - fundamental types, 213
-
- ## G
- g++, 9
 - garbage collection, 964
 - C++, 334
 - Java, 55, 335, 446
 - gboolean (GNOME/GTK+), 880
 - gc() (Java), 55
 - gchar (GNOME/GTK+), 796
 - GC.java, 447
 - gcount() (C++), 245, 247
 - GC_Resurrect.java, 449
 - GDK_2BUTTON_PRESS, 932
 - GDK_3BUTTON_PRESS, 932
 - GDK_BUTTON_PRESS, 932
 - GDK_BUTTON_RELEASE, 932
 - GDK, 795
 - GDK_DRAG_ENTER, 932
 - GDK_DRAG_LEAVE, 932
 - GDK_DRAG_MOTION, 932
 - GdkEvent*, 932
 - GdkEventButton*, 932
 - gdk_imlib_create_image_from_xpm_data(), 927
 - GdkImlibImage, 927
 - GDK_MOTION_NOTIFY, 932
 - generalization, 591, 769

- UML, 590
- generic
 - algorithms
 - (C++), 181
 - (Java), 197
 - class, 547, 568
 - program, 548
- Generic Java, 569
- getAllFonts() (AWT/Swing), 908
- getAppletContext() (Java), 956
- getAppletInfo() (AWT/Swing), 946
- getAvailableFontFamilyNames() (AWT/Swing), 908
- get() (C++), 15, 17, 21–22, 243, 247
- getc() (C), 19, 21
- getchar() (C), 14–15
- getColumnCount() (Java), 1071
- getConnection() (Java), 1059
- getContentPane() (AWT/Swing), 798
- getDefaultToolkit() (AWT/Swing), 915
- getFile() (AWT/Swing), 883
- getFilePointer() (Java), 266
- getID() (AWT/Swing), 852, 914
- getImage()
 - (AWT/Swing), 915
 - (Java), 991
- getInputStream() (Java), 1029
- getInsets() (AWT/Swing), 904
- getline() (C++), 245
- getLocalGraphicsEnvironment() (AWT/Swing), 908
- getMetaData() (Java), 1071
- getOutputStream() (Java), 1029
- getParameter() (Java), 956
- getParameterInfo() (AWT/Swing), 946
- getPoint() (AWT/Swing), 915
- get position (C++), 240
- getProperty() (Java), 957
- GET request, 1028–1029
- GetThirdType.cc, 244
- getX() (AWT/Swing), 915
- getY() (AWT/Swing), 915
- GHBoxTest.c, 838
- .gif, 915
- GIF, 915
- GIMP (GNOME/GTK+), 795
- GIMP Drawing Kit (GNOME/GTK+), 795
- GIMP Tool Kit (GNOME/GTK+), 795
- gint16 (GNOME/GTK+), 796
- gint8 (GNOME/GTK+), 796
- gint (GNOME/GTK+), 796, 880
- gjc (Java), 569
- gjc.Main (Java), 570
- gjcr (Java), 569
- GJ (Java), 569
- glass pane (AWT/Swing), 797–799
- glib library (GNOME/GTK+), 795
- global
 - namespace (C++), 62, 386
 - overload definition (C++), 498
 - scope (C++), 62
- glue
 - (AWT/Swing), 816
 - code (Qt), 862
- g_malloc() (GNOME/GTK+), 796
- GNOME_APP, 896
- gnome_app_create_menus(), 896
- gnome_app_new(), 804
- GNOME_APP_PIXMAP_FILENAME, 896
- GNOME_APP_PIXMAP_NONE, 896
- GNOME_APP_UL_HELP, 895, 897
- GNOME_APP_UL_ITEM, 895
- GNOME_APP_UL_SUBTREE, 895, 897
- GNOME, 871
- GnomeCanvas, 926, 932
- GnomeCanvasGroup, 874, 926
- GnomeCanvasItem, 874
- gnome_canvas_item_new(), 874, 926
- gnome_canvas_line_get_type(), 933
- GnomeCanvasPoints, 928
- GnomeCanvasPoints*, 933
- gnome_canvas_root(), 874
- gnome_canvas_set_scroll_region(), 927
- gnome-config, 805
- GNOME, desktop environment, 790, 793, 795
- GNOME/GTK+, 2, 795
- gnome_init(), 804
- GnomeUIInfo, 894, 897
- GNOMEUIINFO_END, 897
- GNOMEUIINFO_HELP, 897
- GNOMEUIINFO_SEPERATOR, 897
- GNOMEUIINFO_SUBTREE, 897
- GNU
 - C++ compiler, g++, 9
 - General Public License, 1058
 - Image Manipulation Program (C), 795
 - Object Modeling Environment (C), 795
- golden proportion, 789
- good() (C++), 243
- GPL, 1058
- g_print() (GNOME/GTK+), 796
- grant table, 1058
- graphical user interface, 2
- Graphics2D (AWT/Swing), 903, 910
- Graphics (AWT/Swing), 794, 854, 903–905, 907
- graphics context, 903
- GraphicsDevice (AWT/Swing), 909
- GraphicsEnvironment (AWT/Swing), 908
- green threads, 964
- GridBagConstraints (AWT/Swing), 825, 827
- GridBagLayout (AWT/Swing), 809, 825
- GridBagLayoutTest.java, 828

gridheight (AWT/Swing), 826
 GridLayout (AWT/Swing), 809, 819, 849
 GridLayoutTest.java, 819
 gridwidth (AWT/Swing), 826
 gridx (AWT/Swing), 826
 gridy (AWT/Swing), 826
 GTK+, 790, 793
 GtkAttachOptions, 840
 GtkBin, 880
 gtk_box_pack_end(), 839
 gtk_box_pack_start(), 838–839
 GtkButton, 879
 gtk_button_new_with_label(), 807, 840
 GTK, 795
 GTK+, 791, 795, 871
 GTK_CONTAINER, 805
 GtkContainer, 880
 gtk_container_set_border_width(), 805
 gtk_editable_get_chars(), 874
 gtk_editable_get_position(), 874
 GtkHBox, 837
 gtk_hbox_new(), 837
 gtk_idle_add(), 881
 gtk_main(), 805, 871, 881
 gtk_main() (GNOME/GTK+), 808
 gtk_main_quit(), 871, 881
 gtk_main_quit() (GNOME/GTK+), 805, 808
 GtkModifierType, 896
 GtkObject, 796, 880
 GTK_POLICY_NEVER, 874
 gtk_scrolled_window_add_with_viewport(), 873
 gtk_scrolled_window_new(), 873
 gtk_scrolled_window_set_policy(), 873–874
 gtk_signal_connect(), 871, 879, 932
 gtk_signal_emit(), 871
 gtk_signal_emit_by_name(), 871
 gtk_signal_query(), 880
 GtkSignalQuery, 880
 GtkTable, 837, 839
 gtk_table_attach_defaults(), 840
 gtk_text_new(), 873
 gtk_text_set_line_wrap(), 873
 gtk_type_name(), 880
 GtkVBox, 837
 gtk_vbox_new(), 839
 GtkWidget, 796, 880
 gtk_window_new(), 804, 873
 GTK_WINDOW_TOPLEVEL, 804
 guard (UML), 606
 guchar (GNOME/GTK+), 796
 GUI, 2
 history, 790

H

handler, exception, 389
 handshaking for reliable transmission, 1028

HasA relationship, 591
 hash
 map
 (C++), 180
 (Java), 184, 191
 table
 (C++), 151
 (Java), 184
 hash_map, a C++ container class, 180
 HashMap, a Java container class, 184, 191
 HashSet, a Java container class, 189
 HashTable, a Java container class, 184
 hasMoreTokens(), 205
 hasMoreTokens() (Java), 27
 hasNext() (Java), 186, 190
 hasPrevious() (Java), 186
 heap, 299, 632
 heavyweight component (AWT/Swing), 793
 HEIGHT, 938
 height-balanced binary tree, 183, 191
 HelloThreadWithJoin.cc, 1018
 hex, 216
 a stream manipulator (C++), 253
 dump, 246
 hexadecimal
 digit, 216
 escape, 215
 integer
 literal, 221
 notation, 221
 HideScope.cc, 304
 hierarchical structures, 1
 hierarchy, 30
 role-based, 768
 high-level event, 845, 858
 hints to a layout manager, 815
 homogeneous (GNOME/GTK+), 837, 840
 HORIZONTAL (AWT/Swing), 826
 hostFound() (Qt), 1038, 1041
 HostLookup (Qt), 1039
 .hotjava, 957
 HSPACE, 938
 HTML, 937, 939, 947, 953, 990
 HTMLConverter tool, 947
 HTTPD server, 1028–1029, 1040

I

IDE, 845
 identifier, 211–212
 declaration, 283
 default initialization, 283
 definition, 283
 scope, 283
 Idle (Qt), 1039
 idle function, 881
 ID number, 880

- IEEE 754 Standard, 222, 227
- ifstream (C++), 21–22, 237–238
- ignore() (C++), 245
- IllegalArgumentException (Java), 409
- Image (AWT/Swing), 915, 940, 942
- ImageIcon (AWT/Swing), 810, 813, 819, 822, 940, 942–943
- ImageLoadAndDisplay.java, 917
- image loading
 - asynchronous, 915
 - monitoring of, 915
- ImageObserver (AWT/Swing), 916
- immutable, 129, 200
- implementation inheritance (C++), 665
- ImplementationInheritance.cc, 667
- implementation perspective (UML), 592
- implementing an interface (Java), 77
- implicit type conversion, 223
 - (C++), 224, 232, 533
 - for class-types (C++), 534
 - (Java), 228
- import (Java), 24, 56–57, 605
- in (C++), 239
- include (UML), 590
- including C header files in C++, 386
- increment operator overloading (C++), 529
- indefinite number (UML), 593
- indexOf() (Java), 140
- IndexOutOfBoundsException (Java), 315
- indirect base, 732
- indirection (C++), 297
- inf*, 222
- inheritance, 3, 29, 31, 43
 - in simulated OO in C, 95
 - loop (C++), 760
 - multiple (C++), 75
- inheritsched (POSIX), 1004
- init() (AWT/Swing), 903, 936–937, 941, 991
- initial capacity, 186, 190
- initialCapacity, 197
- initialization of
 - arrays
 - (C++), 301, 307–308
 - (Java), 311
 - base-class subobject
 - (C++), 623
 - (Java), 669
 - class type
 - default (C++), 287
 - default (Java), 296
 - const class member (C++), 292
 - reference type (C++), 292, 330
 - object reference
 - (Java), 333
 - static class members (C++), 423
 - static class members (Java), 433
 - static const class members (C++), 422
 - static final (Java), 430
 - variables
 - default (C++), 286
 - default (Java), 293
- initialization static (C++), 422
- inlining (C++), 36, 345, 360
- inner class (Java), 91
- InnerClass.java, 92
- InnerClassThisPrefix.java, 92
- input
 - operator (C++), 16
 - stream manipulators (C++), 255
 - stream object state (C++), 23
- InputEvent (AWT/Swing), 845
- InputIterator (C++), 566
- InputStream (Java), 18, 1029, 259, 990
- INSERT (SQL), 1060, 1062
- insert()
 - (C++), 123, 153, 159
 - (Java), 141
- insert substring
 - (C++), 123
 - (Java), 141
- insertElement() (Java), 196
- insertIterator (C++), 567
- insertion
 - formatted (C++), 9
 - operator (C++), 9
- insertUpdate() (AWT/Swing), 854, 999
- Insets (AWT/Swing), 904
- insets (AWT/Swing), 827
- instance of a class, 29
- instantiating a class, 2, 33
- INT (SQL), 1060
- int, 213, 220
- IntComparator (Java), 577
- INTEGER (SQL), 1061
- integer, 211
- Integer (Java), 18, 939
- Integer.java, 579
- integer
 - literal, 221
 - decimal, 221
 - hexadecimal, 221
 - octal, 221
 - types, 220
- IntegerGeneric.java, 581
- Integer.parseInt() (Java), 17
- integral types
 - (C++), 223
 - (Java), 223
- interaction diagram (UML), 588, 597
- Interactive Design Environment, 845
- interface (Java), 3, 74–75, 680
 - for packaging constants, 689

- nested, 89
 - parameterized, 573
 - interference, thread, 971
 - Interleaved.cc, 470
 - interleaved classes, 298, 466
 - Interleaved.java, 481
 - intermediate GUI containers, 794–796
 - intern() (Java), 130
 - InternalFrame (AWT/Swing), 794
 - internal linkage (C++), 69, 304
 - International Standards Organization, 8
 - internet auction example, 588
 - InterruptedException (Java), 984
 - INTERVAL DAY (SQL), 1061
 - intervals (SQL), 1060
 - intValue() (Java), 191
 - invariances, 789
 - invisible component (AWT/Swing), 816
 - invokeAndWait() (AWT/Swing), 1000
 - invokeLater() (AWT/Swing), 1000
 - invoking
 - a function on an object, 16
 - object, 503
 - I/O
 - binary
 - (C), 20
 - (C++), 246
 - (Java), 261
 - character based
 - (C++), 238
 - (Java), 261
 - modes, 16
 - asynchronous, 16
 - blocking, 16
 - nonblocking, 16
 - stream hierarchy
 - (C++), 237
 - (Java), 258
 - IOException (Java), 25
 - iomanip, a C++ header file, 8, 256
 - ios, a C++ header file, 8
 - ios::app (C++), 238–239
 - ios::ate (C++), 239, 248
 - ios::binary (C++), 239
 - ios::cur (C++), 241
 - ios::fixed (C++), 255
 - ios::in (C++), 239, 241
 - ios::left (C++), 253
 - ios::noshowpoint (C++), 254
 - ios::noskipws (C++), 255
 - ios::out (C++), 239, 241
 - ios::scientific (C++), 254
 - ios::showbase (C++), 254
 - ios::showpoint (C++), 254
 - ios::skipws (C++), 255
 - ios::trunc (C++), 239
 - iosfwd, a C++ header file, 8
 - iostream
 - a C++ header file, 8
 - a C++ I/O stream class, 237
 - IP address, 1027–1028
 - ipadx, padding variable (AWT/Swing), 827
 - ipady, padding variable (AWT/Swing), 827
 - irresolvable deadlock, 987
 - IsA relationship, 31, 591, 682
 - isEmpty() (Java), 183
 - isEventDispatchThread() (AWT/Swing), 993
 - ISO, 8, 421
 - ISO-Latin-1, 133
 - istream
 - a C++ header file, 8
 - a C++ input stream class, 237
 - istringstream (C++), 257
 - istream (C++), 257
 - itemStateChanged() (AWT/Swing), 822
 - Iterator (Java), 186, 190
 - GJ, 571
 - iterator
 - a C++ header file, 8
 - adapter (C++), 567
 - (C++), 153, 171, 181, 565
 - BidirectionalIterator, 567
 - class, 565
 - forward incrementing, 566
 - initialization, 565
 - RandomAccessIterator, 567
 - (Java), 190
 - dereferencing (C++), 154
 - iterator() (Java), 183
-
- J**
- JApplet (AWT/Swing), 793–794, 797, 936, 1000
 - JAR archive (Java), 12
 - jar, the Java archive tool, 12
 - Java
 - bytecode, 11
 - Collections Framework, 205
 - compilation, 5, 11
 - Database Connectivity, 1055
 - enabled browser, 939
 - Foundation Classes, 794
 - Plug-in for Swing applets, 947
 - Runtime Environment, 947
 - Virtual Machine, 11, 936, 964–965
 - java, the Java application launcher, 11
 - java.awt.event package, 793
 - java.awt.image package, 916
 - java.awt package, 793
 - javac, the compiler for Java, 11
 - javadoc, Java documentation tool, 14
 - java.io package, 24, 27, 627
 - java.lang package, 56

java.net package, 1028, 1032
javap, the Java class file disassembler, 975
java.sql package, 1059, 1070
java.util package, 185–186, 190, 193
 GJ version, 569
javax.swing.event package, 793
javax.swing package, 793, 797
JButton (AWT/Swing), 794, 827, 850
JComboBox (AWT/Swing), 821
 editable, 821
 uneditable, 821
JComponent (AWT/Swing), 798–799, 850, 903
JDBC (Java), 1055, 1057, 1070
 driver, 1055
JDBC-ODBC bridge driver, 1059
JDialog (AWT/Swing), 793–794, 797, 1000
JFC (AWT/Swing), 794
JFrame (AWT/Swing), 793–794, 797, 948, 1000
JIT, just-in-time Java compilation, 11, 965
JLabel (AWT/Swing), 810, 813, 819, 821–822,
 940, 942
JLayeredPane (AWT/Swing), 797
JList (AWT/Swing), 816, 822
jmp_buf (C), 386
join() (Java), 967
join strings
 (C), 110
 (C++), 118
 (Java), 138
JPanel (AWT/Swing), 794, 798, 816, 822, 853
JPEG, 915
 .jpg, 915
JRadioButton (AWT/Swing), 822
JRE, 947
JRootPane (AWT/Swing), 797
JScrollBar (AWT/Swing), 794
JScrollPane (AWT/Swing), 794, 816, 942
JTabbedPane (AWT/Swing), 794, 821
JTextArea (AWT/Swing), 854
JTextField (AWT/Swing), 794
just-in-time Java Compilation, 11
JVM, 11, 936, 942

K

KEY (SQL), 1061
keyboard
 accelerator, 889, 895
 buffer, 16
KeyEvent (AWT/Swing), 845, 852
keySet() (Java), 194
key-sorted order, 184
<key, value> pair, 149, 151, 178
keyword, 211
kind (UML), 596
 in, 596
 inout, 596

 out, 596
Koenig.cc, 70
Koenig lookup (C++), 70, 304

L

label, 305
lastIndexOf() (Java), 140
Latin-1, 213, 218
layered pane (AWT/Swing), 797–798
layout management, 808–809
 (AWT/Swing), 809
 (GNOME/GTK+), 837
 (Qt), 830
LayoutManager (AWT/Swing), 830
lazy instantiation, 416
ldconfig, 802
ld.so.conf, 802
least-common-denominator approach, 794
left, a stream manipulator (C++), 253
left_attach (GNOME/GTK+), 840
Left.java, 954
length (Java), 314
length()
 (C++), 124
 (Java), 132
less, a function object (C++), 176
lexicographic ordering, 109, 136
libqt-mt (Qt), 1019
lifeline (UML), 597
lightweight (AWT/Swing)
 component, 793–794
 container, 797
limits, a C++ header file, 8
linear time complexity, 150
linkage, internal (C++), 69
LinkedList
 (C++), 548
 templated, 555
 (Java)
 a container class, 186
 GJ, 571
LinkedList.cc, 551
LinkedList<double> (C++), 548
LinkedListGeneric.cc, 557
LinkedListGeneric.java, 574
LinkedList<int> (C++), 548
LinkedList<Integer> (Java), 549
LinkedList.java, 571
LinkedListSpecialized.cc, 561
LinkedList<string> (C++), 548
LinkedList<String> (Java), 549
Linux, 1058, 802, 964–965
LinuxThreads, 1013
List
 a Java container class, 75–76, 182, 186, 194, 569
 (AWT/Swing), 954

- list
 - (C++)
 - a container class, 149–150, 170, 567
 - a header fi le, 8
 - (Java), 182, 185, 194
 - ListGeneric.java, 569
 - ListIterator (Java), 186
 - ListMixedType.java, 569
 - ListOps.cc, 171
 - ListOps.java, 186
 - List<String> (Java), 569
 - literal
 - character, 215
 - floating-point, 223
 - integer, 221
 - string, 108, 211, 216, 219
 - little-endian, 134, 250
 - LOAD DATA INFILE (SQL), 1073
 - load-factor, 190
 - local
 - identi fi er, 304
 - loopback address, 1035
 - Locale (Java), 145
 - locale, a C++ header fi le, 8
 - lock, 979, 984
 - long, 213, 220
 - double (C++), 213, 222
 - longjmp (C), 386
 - look-and-feel, 791–794, 797
 - loopback address, 1035, 1053
 - low-level event, 845, 858
-
- M**
- macro (C++), 319
 - macros and messages, 844
 - main widget (Qt), 801
 - main_WindowWithMenu.cc, 889
 - makefi le, 805–806, 808, 868, 878, 889, 902, 1043, 1052
 - Makefi le.ChatServer, 1052
 - Makefi le.ClientSocket, 1043
 - Makefi le.GTK_CrazyWindow, 878
 - Makefi le.GTK_FirstWindow, 806
 - Makefi le.GTK_RenderGraphics, 931
 - Makefi le.GTK_Sketch, 935
 - Makefi le.GTK_WindowWithMenu, 902
 - Makefi le.Qt_CrazyWindow, 868
 - Makefi le.Qt_WindowWithMenu, 889
 - malloc(), 98, 110, 796, 1013
 - Manager.cc, 701
 - Manager.java, 707
 - Mandrake, 802
 - mangling, name (C++), 69, 386
 - Map, a Java container class, 191
 - map
 - (C++)
 - a container class, 149, 151, 178, 208, 567
 - a header fi le, 8
 - (Java), 184, 191
 - Map.Entry (Java), 194
 - MapHist.cc, 179
 - MapHist.java, 193
 - mapping threads to native threads, 964
 - mastering OO paradigm, 2
 - Math (Java), 56
 - max() (Java), 577
 - maximum size recommendation, 815
 - MediaTracker (AWT/Swing), 915, 942
 - member
 - access operator (C++), 35, 39, 520
 - function, 29
 - overload defi nition (C++), 501
 - initialization syntax (C++), 36, 293, 658
 - of a class, 32, 37
 - memory
 - a C++ header fi le, 8–9, 529
 - allocation
 - heap (C++), 299, 333
 - heap (Java), 335
 - stack (C++), 299
 - deallocation (C++), 334
 - leak (C++), 46, 636
 - segmentation fault, 299
 - Menu (AWT/Swing), 882
 - menu, 881
 - MenuBar (AWT/Swing), 882
 - MenuItem (AWT/Swing), 882
 - merge-sort, 137, 197, 315
 - merging lists (C++), 171
 - message (UML)
 - in a sequence diagram, 597
 - sequence number, 603
 - status, 598
 - to self, 598
 - meta (Qt)
 - object code, 862
 - object compilation, 859, 862, 1043
 - method, 30
 - invocation
 - asynchronous, 601
 - synchronous, 601
 - MFC, 791, 844
 - MI (C++), 721
 - Microsoft Foundation Classes, 791, 844
 - min_element (C++), 182
 - minimum
 - capacity increment, 197
 - size recommendation, 815
 - minimumSizeHint() (Qt), 837
 - ML_Uutilities.h (C++), 752
 - Mixin.cc, 762
 - mixin class, 721, 760–761

- mixing C and C++, 488
 - mm.mysql, 1059
 - mm.mysql.Driver, 1070
 - moc (Qt), 1043
 - compiler, 859, 862
 - monitor, 979, 984
 - monitoring
 - image loading, 915
 - of a port by a server, 1032
 - most-derived object (C++), 736
 - Motif, 791–792, 794
 - MOUSE.CLICKED (AWT/Swing), 914
 - mouseClicked() (AWT/Swing), 914
 - mouseDoubleClickEvent() (Qt), 923
 - MOUSE_DRAGGED (AWT/Swing), 914
 - mouseDragged() (AWT/Swing), 914
 - MOUSE_ENTERED (AWT/Swing), 914
 - mouseEntered() (AWT/Swing), 914
 - MouseEvent
 - (AWT/Swing), 845, 852–853, 914–915
 - (Qt), 923
 - mouse event, low-level, 923
 - MOUSE_EXITED (AWT/Swing), 914
 - mouseExited() (AWT/Swing), 914
 - MouseListener (AWT/Swing), 853, 913
 - MouseMotionListener (AWT/Swing), 853, 914
 - MOUSE_MOVED (AWT/Swing), 914
 - mouseMoved() (AWT/Swing), 914
 - mouseMoveEvent() (Qt), 919, 923
 - MOUSE_PRESSED (AWT/Swing), 913
 - mousePressed() (AWT/Swing), 913
 - MOUSE_PRESSED (AWT/Swing), 914
 - mousePressed() (AWT/Swing), 914
 - mousePressEvent() (Qt), 919, 923
 - MOUSE_RELEASED (AWT/Swing), 914
 - mouseReleased() (AWT/Swing), 914
 - mouseReleaseEvent() (Qt), 923
 - MuliJmp.cc, 387
 - MultiConstructors.java, 421
 - MultiCustomerAccount.c, 1015
 - MultiCustomerAccount.cc, 1022
 - MultiCustomerAccount.java, 985
 - multilevel return in C, 386
 - multimap, a C++ container class, 149, 151
 - multiple
 - inheritance (C++), 3, 75, 721
 - triggers (UML), 613
 - multiplicity, 592
 - for attributes (UML), 595
 - MultiPolymorphism.java, 683
 - multiprocessing, 611, 963
 - multiset, a C++ container class, 150
 - multithreading, 611
 - for animation, 990
 - versus multiprocessing, 963
 - mutable, 134
 - mutating algorithm (C++), 182
 - mutex (POSIX)
 - fast, 1011
 - kind, 1010
 - lock, 1010
 - recursive, 1011
 - mutual exclusion for thread synchronization, 1010
 - MyDrawPanel.cc, 867
 - MyDrawPanel.h (Qt), 867
 - MySQL, 1058
 - terminal monitor, 1063
 - Mysql++, 1075, 1057
 - mysqldadmin, 1058
 - mysqld, 1058
 - MyString, 506
 - MyString.cc, 514
 - MyTextPanel.cc, 865
 - MyTextPanel.h (Qt), 865
-
- N**
- NAME, 938
 - name
 - conflict, 619, 730, 747, 749
 - hiding (C++), 619, 671
 - lookup (C++), 619, 671
 - argument-dependent, 70
 - lookup (Java), 671
 - mangling (C++), 69, 386, 488
 - NameConflictDataMem.cc, 750
 - NameConflictMemFunc.cc, 747
 - nameless namespace, 361
 - NameLookup.cc, 671
 - NameLookup.java, 671
 - namespace (C++), 9, 61
 - alias, 304
 - global, 386
 - nesting, 67
 - qualified name, 303
 - scope, 303
 - std, 22, 386
 - unnamed, 69
 - Namespace.cc, 62
 - Namespace2.cc, 65
 - Namespace3.cc, 65
 - Namespace4.cc, 66
 - namespace.h (Qt), 921
 - NamespaceNested.cc, 67
 - NaN*, Not a Number, 222
 - narrowing
 - conversion (Java), 228
 - primitive conversion (Java), 228
 - Narrowing.java, 231
 - NATIONAL_CHARACTER(n) (SQL), 1061
 - native
 - GUI toolkit, 792
 - threads, 964

- natural (Java)
 - comparison method, 81
 - ordering, 80, 137, 183, 579
 - navigability (UML), 592
 - nested
 - block, 304
 - class
 - (C++), 84
 - (Java), 84, 89, 93, 571
 - enumeration (C++), 89
 - interface (Java), 84, 89, 93
 - namespaces (C++), 67, 304
 - typedef (C++), 84
 - NestedInterface.java, 93
 - NestedClassAsType.java, 90
 - NestedClass.cc, 84
 - NestedClassDefsNotInline.cc, 85
 - NestedClass.java, 89
 - NestedTypes.cc, 88
 - network
 - programming, 2
 - transparent computing, 790
 - new
 - a C++ header file, 8–9
 - (C++), 34, 113, 299, 333, 443
 - (Java), 38, 131, 334
 - (UML), 599
 - new[] (C++), 333, 520
 - newConnection() (Qt), 1045
 - newline character, 215
 - next-element operation, 150
 - next() (Java), 1071, 186, 190
 - nextToken() (Java), 205, 27
 - no-arg constructor
 - (C++), 43, 288, 307, 419, 507, 623
 - (Java), 47, 312–313, 669
 - NoArgMissing.cc, 419
 - Nocase (C++), 208
 - NoCopyOnReturn.cc, 359
 - NONE (AWT/Swing), 826
 - nonmutating algorithm (C++), 182
 - nonrealtime scheduling, 1004
 - nontype parameter
 - template declaration (C++), 563
 - NoPen (Qt), 921
 - NORTH (AWT/Swing), 810, 827
 - NORTHEAST (AWT/Swing), 827
 - NORTHWEST (AWT/Swing), 827
 - noshowpoint, a stream manipulator (C++), 254
 - noskipws, a stream manipulator (C++), 255
 - NoSuchMethodError (Java), 408
 - notify() (Java), 984
 - notifyAll() (Java), 983–984
 - NOT NULL (SQL), 1062
 - nparams (GNOME/GTK+), 880
 - npos (C++), 120
 - null, 293
 - pointer (C++), 298
 - NullPointerException (Java), 409
 - NumberFormatException (Java), 18
 - NUMERIC (SQL), 1061
 - numeric
 - a C++ header file, 8
 - escape
 - (C++), 215
 - (Java), 218
 - types (Java), 223
-
- O**
- OBJECT tag (HTML), 947
 - Object
 - (Java), 75, 79, 446, 547, 984
 - Management Group, 588
 - object
 - cloning (Java), 457
 - deserialization (Java), 279
 - destruction
 - (C++), 54, 441
 - (Java), 446
 - finalization (Java), 55, 446–447
 - reference, 329
 - (C++), 329
 - (Java), 332
 - serialization (Java), 279
 - ObjectIO.java, 280
 - ObjectInputStream (Java), 280
 - ObjectOutputStream (Java), 280
 - oct, a stream manipulator (C++), 253
 - octal
 - escape, 215
 - integer
 - literal, 221
 - notation, 221
 - number, 216
 - ODBC, 1059
 - ofstream (C++), 21–22
 - OMG, 588
 - one-argument constructor (C++), 535
 - on-line Java documentation, 3
 - OO, 1, 29
 - design, 3
 - Open DataBase Connectivity, 1059
 - openmode (C++), 239
 - open source, 1058, 795
 - operation (UML), 590, 595
 - modifier, 596
 - query, 596
 - operator, 211
 - '()' (C++), 176
 - arity, 498, 504
 - binary, 499
 - equality (C++), 513

- for dereferencing (C++), 519
 - for member access (C++), 520
 - function (C++), 498
 - insertion (C++), 9
 - left bitwise shift (C), 9
 - output (C++), 9
 - overload definition
 - global (C++), 498
 - member function (C++), 501
 - overloading (C++), 53, 497
 - decrement operator, 529
 - for derived class, 628
 - increment operator, 529
 - key points, 497
 - < for sorting, 540
 - precedence, 497
 - relational (C++), 513
 - scope (C++), 89
 - token, 498
 - unary, 504
 - operator<<() (C++), 628
 - ORDER BY (SQL), 1067, 1069
 - ostream
 - a C++ header file, 8
 - a C++ output stream class, 237
 - ostream_iterator (C++), 206
 - ostringstream (C++), 257
 - ostrstream (C++), 257
 - out (C++), 239
 - OutOfMemoryError (Java), 408
 - OutputIterator (C++), 566
 - output
 - operator (C++), 9
 - stream
 - classes (C++), 237
 - classes (Java), 264
 - manipulators (C++), 252
 - object (C++), 8
 - object (Java), 13
 - standard (C++), 239
 - standard (Java), 265
 - OutputStream (Java), 259, 989, 1029
 - overload
 - resolution, 345
 - (C++), 369
 - (Java), 371
 - Overload.java, 372
 - Overload2.java, 382
 - OverloadBinaryGlobal.cc, 500
 - OverloadBinaryMemb.cc, 501
 - overloading
 - constructor
 - (C++), 366
 - (Java), 371
 - function name, 345
 - (C++), 366, 368
 - (Java), 371
 - of operators (C++), 497
 - OverloadUnaryGlobal.cc, 504
 - OverloadUnaryMemb.cc, 505
 - OverrideAccessRestrict.cc, 653
 - OverrideAccessRestrict.java, 674
 - override definition for a function, 44
 - OverrideExceptionRestrict.cc, 654
 - OverrideReturnRestrict.cc, 652
 - overriding
 - a function
 - (C++), 46
 - (Java), 47
 - function
 - (C++), 651
 - (Java), 670
 - restrictions (C++), 651
 - restrictions (Java), 673
-
- P**
- pack() (AWT/Swing), 800, 810, 813, 817, 819, 822, 828, 1000
 - package
 - diagram (UML), 588, 604
 - (Java), 3, 13, 55, 57, 71
 - qualified name, 56
 - padding
 - (GNOME/GTK+), 838
 - variable
 - ipadx (AWT/Swing), 827
 - ipady (AWT/Swing), 827
 - paint() (AWT/Swing), 903–904, 916
 - paintBorder() (AWT/Swing), 903
 - paintChildren() (AWT/Swing), 903
 - paintComponent() (AWT/Swing), 854, 903–904, 942
 - paintEvent() (Qt), 918–919, 924
 - pair, 176
 - pallet, 798
 - pane (AWT/Swing)
 - content, 797
 - glass, 797–799
 - layered, 797–798
 - root, 797
 - Panel (AWT/Swing), 936, 948
 - parameterization, 549
 - parameterized
 - class
 - (C++), 550, 555
 - (Java), 568
 - function (C++), 550
 - interface (Java), 573
 - method (Java), 576
 - parameter list (UML), 596
 - PARAM tag (HTML), 939, 954
 - parseInt() (Java), 17–18, 939

- pass argument to function, 345
 - by pointer (C++), 345
 - by reference (C++), 345
 - by value
 - (C++), 345
 - of object reference (Java), 345
- pass by pointer
 - class type argument (C++), 351
 - primitive type argument (C++), 347
- pass by reference
 - class type argument (C++), 352
 - primitive type argument (C++), 349
- pass by value
 - class type argument
 - (C++), 350
 - (Java), 354
 - of object reference (Java), 354
 - primitive type argument
 - (C++), 346
 - (Java), 353
- PassClassTypeByPointer.cc, 351
- PassClassTypeByRef.cc, 352
- PassClassTypeByValue.cc, 350
- PassClassTypeByValue.java, 354
- passing arguments
 - (C++), 346
 - (Java), 353
- PassPrimByPointer.cc, 347
- PassPrimByRef.cc, 349
- PassPrimByValue.cc, 347
- PassPrimByValue.java, 353
- peek() (C++), 15–16, 246
- peer class (AWT/Swing), 793
- peered component (AWT/Swing), 794
- peerless component (AWT/Swing), 793
- performance penalty
 - for polymorphic function (C++), 650
- Photoshop, 795
- pipe (C++), 23
- PipedInputStream (Java), 259, 988, 990
- PipedOutputStream (Java), 259, 988, 990
- pixmap, 896
- PlainDocument (AWT/Swing), 854
- Point (AWT/Swing), 915
- pointer
 - to C++ function, 374
 - to class member (C++), 463
 - type (C++), 297
- PointerDirectToMember.cc, 464
- polyline, 924, 932
- Polymorph.cc, 45
- polymorphic
 - behavior, 638
 - type (C++), 646, 781
- PolymorphicTypes.cc, 782
- polymorphism, 3, 29, 31, 682, 728, 918
 - in simulated OO in C, 98
- Polymorph.java, 48
- pop_back() (C++), 154, 174
- pop() (C++), 174–175
- pop_front() (C++), 168
- port, 1027–1028
 - number, 1027–1028
- Portable Operating System Interface, 1002
- POSIX, 1002
 - thread attributes, 1003
 - threads, 964
- pos() (Qt), 924
- precedence of an operator, 497
- precision
 - of output (C++), 252
 - of SQL data types, 1061
- preemptive scheduling, 964
- PretendGiant.cc, 520
- previous() (Java), 186
- PRIMARY KEY (SQL), 1061
 - NOT NULL, 1060–1061
- primitive type, 211
- printf() (C), 6–7, 98, 796
- print() (Java), 13, 265
- println() (Java), 13, 265
- PrintObj.cc, 53
- PrintObj.java, 52
- print representation (Java), 52
- printStackTrace() (Java), 410
- PrintStream (Java), 13, 265
- PrintWriter (Java), 265, 1034
- priority-preemptive scheduling, 964
- priority_queue, a C++ container class, 149, 151, 176
- PriorityQueueOps.cc, 177
- priority of a thread, 964
- private
 - base (C++), 618
 - class derivation (C++), 664
 - for access control, 34, 38, 71, 595
- PrivateConstructor.cc, 420
- Promo.cc, 224
- promotion, 224
- property-string (UML), 595–596
- protected
 - base (C++), 618
 - class derivation (C++), 664
 - for access control, 71, 595
 - inheritance, 665
- prototype (C++), 346
- pseudorandom, 460
- pseudorandom numbers, 56
- pthread_attr_init() (POSIX), 1003
- pthread_attr_t (POSIX), 1002–1003
- PTHREAD_CANCELED (POSIX), 1007
- pthread_condattr_t (POSIX), 1013

- pthread_cond_broadcast() (POSIX), 1014
 pthread_cond_destroy() (POSIX), 1014
 pthread_cond_init() (POSIX), 1013
 pthread_cond_signal() (POSIX), 1014
 pthread_cond_timedwait() (POSIX), 1014
 pthread_cond_t (POSIX), 1013
 pthread_cond_wait() (POSIX), 1014
 PTHREAD_CREATE_DETACHED (POSIX), 1003
 PTHREAD_CREATE_JOINABLE (POSIX), 1003
 pthread_create() (POSIX), 1002
 pthread_detach() (POSIX), 1004
 pthread_exit() (POSIX), 1007
 PTHREAD_EXPLICIT_SCHED (POSIX), 1004
 PTHREAD_INHERIT_SCHED (POSIX), 1004
 pthread_join() (POSIX), 1003, 1006
 pthread_mutexattr_getkind_np() (POSIX), 1011
 pthread_mutexattr_setkind_np (POSIX), 1011
 pthread_mutex_destroy() (POSIX), 1013
 PTHREAD_MUTEX_FAST_NP (POSIX), 1010
 pthread_mutex_lock() (POSIX), 1010, 1014
 PTHREAD_MUTEX_RECURSIVE_NP (POSIX), 1011
 pthread_mutex_unlock() (POSIX), 1010, 1014
 PTHREAD_SCOPE_PROCESS (POSIX), 1004
 PTHREAD_SCOPE_SYSTEM (POSIX), 1004
 pthread_setschedparam() (POSIX), 1004
 pthread_setschedpolicy() (POSIX), 1004
 pthreads.h (POSIX), 1002
 pthread_t (POSIX), 1002
 public
 - base (C++), 618
 - class, 11
 - class derivation (C++), 617
 - for access control, 34, 38, 71, 595
 pull-down menu, 881
 pure virtual (C++), 74–75, 643, 660, 727
 push() (C++), 174–175
 push_back() (C++), 153–154, 174
 push_front() (C++), 168
 put() (C++), 21, 247
 putback() (C++), 246
 putc() (C), 19, 21
 put position (C++), 240
-
- Q**
 qapplication.h (Qt), 831–832, 834, 836
 QApplication (Qt), 795, 801, 859
 - for default initializations, 795
 QBrush (Qt), 920
 QButton (Qt), 795
 QColor (Qt), 921
 QDialog (Qt), 795, 836
 qdialog.h (Qt), 832, 836
 QDns (Qt), 1038
 QFileDialog (Qt), 795
 QFrame (Qt), 795
 QFtp (Qt), 1038
 QGrid (Qt), 830, 834
 qgrid.h (Qt), 834
 QGridLayout (Qt), 830, 835, 960
 QGridLayoutTest.cc, 836
 QGridTest.cc, 834
 QGroupBox (Qt), 795
 QHBox (Qt), 795, 830
 qhbox.h (Qt), 831
 QHBoxLayout (Qt), 830
 QHBoxLayoutTest.cc, 832
 QHBoxLayoutTest.cc, 831
 QLabel (Qt), 795
 QLayout (Qt), 795, 830
 qlayout.h (Qt), 832, 836, 864
 QLineEdit (Qt), 960
 QMainWindow (Qt), 802
 QMatrix (Qt), 919
 QMouseEvent (Qt), 919
 qmultilineedit.h (Qt), 865
 QMultiLineEdit (Qt), 886
 QMutex (Qt), 1019
 QNetworkProtocol (Qt), 1038
 Q_OBJECT (Qt), 862, 870
 QObject (Qt), 795, 859, 870
 QPainter (Qt), 864
 QPainter (Qt), 918, 921
 QPaintEvent (Qt), 918
 QPoint (Qt), 924
 QPopupMenu (Qt), 888
 qpushbutton.h (Qt), 831–832, 834, 836
 QPushButton (Qt), 804, 836, 960
 QServerSocket (Qt), 1038, 1044
 QSizePolicy (Qt), 867
 QSizePolicy (Qt), 866
 QSocket (Qt), 795, 1038
 qsort()
 - (C), 116
 - (C++), 199, 375
 Qsort.cc, 117
 QStatusBar (Qt), 795
 QString (Qt), 1038
 Qt
 - a class, 921
 - a GUI toolkit, 790–791, 793, 795
 QThread (Qt), 1018
 QT_THREAD_SUPPORT (Qt), 1019
 quantum, 967
 queue
 - a C++ container class, 149, 151, 175
 - a C++ header file, 8
 Query (Mysql++), 1075–1076
 query() (Mysql++), 1076
 QueueOps.cc, 175
 quick-sort, 116, 197, 315

- Q_UINT16 (Qt), 1038
 - QUIT (SQL), 1067
 - quit(), (Qt), 804, 859
 - QUrlOperator (Qt), 1038
 - QVBox (Qt), 795, 830, 834
 - QVBoxLayout (Qt), 830, 834
 - QWaitCondition (Qt), 1022
 - QWidget (Qt), 795, 919, 923
 - qwidget.h (Qt), 864
-
- R**
- race condition, 1006, 967
 - Random (Java), 460
 - random() (Java), 55–56, 460
 - RandomAccessFile (Java), 259, 266, 273
 - RandomAccessIterator (C++), 566–568
 - range
 - checking (Java), 134
 - violation (Java), 135
 - rangeCheck() (C++), 529
 - rbegin() (C++), 565
 - RCP, 1028
 - read() (Java), 17–18, 24, 27, 884
 - Reader (Java), 259, 1029, 1033
 - read for binary I/O (C++), 247
 - ReadIntFromFile.java, 271
 - readInt() (Java), 271
 - readLine() (Java), 205, 1029
 - readObject() (Java), 280
 - read-only collection (Java), 200
 - read-only iterator (Mysql++), 1077
 - readString(), 18
 - ReadStringFromFile.java, 273
 - readUTF() (Java), 273
 - readyRead() (Qt), 1038, 1046
 - realizing a component (AWT/Swing), 797, 1000
 - REAL (SQL), 1061
 - realtime scheduling, 1004
 - recursive mutex (POSIX), 1011
 - red-black tree, 191
 - reference, 38, 329
 - (C++), 292
 - initialization, 330
 - (Java), 332
 - initialization, 333
 - handler thread (Java), 965
 - Reference.cc, 338
 - Reference2.cc, 339
 - ReferenceClassType.cc, 331
 - reflexive association (UML), 593
 - registering
 - a callback, 844
 - a listener (AWT/Swing), 847
 - image with tracker (AWT/Swing), 915
 - reinterpret_cast (C++), 234, 781
 - relational
 - database, 1056–1057
 - operator, 513
 - release() (C++), 525
 - reliable connection-based stream protocol, 1028
 - Remote Call Procedure, 1028
 - remove()
 - (C++), 170
 - (Java), 183, 186, 190, 206
 - removeAll()
 - (AWT/Swing), 943
 - for emptying a Java container, 183
 - removeElement() (Java), 196
 - remove_if() (C++), 206
 - removeUpdate() (AWT/Swing), 854
 - rend() (C++), 565
 - RenderGraphics.c, 928
 - RenderGraphics.cc, 921
 - RenderGraphics.java, 905
 - rendering, 903
 - repaint()
 - (AWT/Swing), 904, 910, 941, 1000
 - (Qt), 919
 - repeated inheritance (C++), 729, 751
 - RepeatInherit.cc, 755
 - replace()
 - (C++), 120, 567
 - (Java), 140
 - reserve() (C++), 157
 - reset(), 920
 - RESET_QUERY (SQL), 1076
 - resize() (C++), 124, 153, 157
 - resizing behavior, 825
 - responsibility (UML), 592
 - restart() (Java), 941
 - restrictions on overriding function
 - (C++), 651
 - (Java), 673
 - Result (Mysql++), 1075–1076
 - ResultSetMetaData (Java), 1071
 - resurrecting unreferenced objects, 449
 - retrieval command (SQL), 1062
 - return-type (UML), 596
 - revalidate() (AWT/Swing), 943, 1000
 - reverse() (C++), 567
 - reverse_iterator (C++), 568
 - rfind() (C++), 120
 - right_attach (GNOME/GTK+), 840
 - right bitwise shift operator, 16
 - rigid area (AWT/Swing), 815
 - rlogin, 1028
 - Robot.cc, 427
 - Robot.java, 434
 - role
 - (UML), 588, 592
 - based class hierarchy, 768
 - playing class, 721, 768

RolePlayers.cc, 771
 root pane (AWT/Swing), 797
 rotate() (Qt), 920
 rotating a shape, 910
 RotatingRect.java, 911
 rounding-modes for floating-point, 227
 round
 - robin scheduling, 1004, 964
 - toward-zero mode, 227
 RTTI (C++), 234, 646, 690, 700, 780–781
 run()
 (Java), 966
 (Qt), 1018
 Runnable (Java), 969
 runnable state, 967, 970
 running state, 970
 RuntimeException (Java), 408
 run-time type identification (C++), 234, 646, 690,
 700, 780

S

safe_mysql, 1058
 SansSerif, 908
 SCALE_DEFAULT (AWT/Swing), 916
 SCALE_FAST (AWT/Swing), 916
 scale() (Qt), 920
 SCALE_REPLICATE (AWT/Swing), 916
 SCALE_SMOOTH (AWT/Swing), 916
 scaling an image, 916
 scanf() (C), 15
 SCHED_FIFO (POSIX), 1004
 SCHED_OTHER (POSIX), 1004
 schedparam (POSIX), 1004
 schedpolicy (POSIX), 1004
 SCHED_RR (POSIX), 1004
 scheduling
 a thread, 964, 967, 970
 policy, 1004
 priority, 1004
 schema, 1073
 scientific, a stream manipulator (C++), 254
 scope, 54, 61, 283
 (C++), 303
 (Java), 305
 block
 (C++), 303
 (Java), 305
 file (C++), 303
 for thread scheduling contention (POSIX), 1004
 function (C++), 303
 function-prototype (C++), 303
 namespace (C++), 303
 of a global identifier (C++), 304
 operator (C++), 36, 61, 89, 304, 619
 for nested type, 89
 ScopeTest.java, 306
 Scrollable (AWT/Swing), 940, 942
 scrollbar, 873, 940, 942
 search
 for array element (Java), 315
 for character (Java), 139
 for substring (C++), 120
 for substring (Java), 139
 second (C++), 179
 security, applet, 936, 956
 seek() (Java), 266–267
 seekp() (C++), 240
 seekg() (C++), 240
 SELECT (SQL), 1060, 1062, 1064
 SelfRef.cc, 436
 self-reference
 (C++), 435
 (Java), 439
 sequence
 container
 (C++), 150, 173, 565
 (Java), 183
 adapter (C++), 173
 diagram (UML), 597
 sequential I/O, 266
 Serializable (Java), 75–76, 274, 279
 serial version UID (Java), 279
 server, 1027
 -based database, 1057
 ServerSocket (Java), 1031
 Set, a Java container class, 182–183, 189
 set
 a C++ container class, 149, 180
 a C++ header file, 8
 functions (SQL), 1069
 (Java), 182–183, 189
 setBorder() (AWT/Swing), 810, 813, 819
 setCoalesce() (Java), 941
 setColor() (AWT/Swing), 905, 908
 setContentPane() (AWT/Swing), 798
 setfill(), a stream manipulator (C++), 253
 setHorizontalTextPosition() (AWT/Swing), 810,
 813, 819
 setInitialDelay() (Java), 941
 setjmp (C), 386
 setjmp.h (C), 386
 setLayout() (AWT/Swing), 799
 setLocation() (AWT/Swing), 797, 810, 813, 817,
 819, 822, 828, 937
 setMainWidget() (Qt), 832, 834, 836
 setMargin() (Qt), 831
 setMatrix() (Qt), 919–920
 setMaximumSize()
 (AWT/Swing), 815
 (Qt), 833
 setMinimumSize()
 (AWT/Swing), 815

- setMnemonic() (AWT/Swing), 850
- SetOps.cc, 180
- SetOps.java, 190
- setPen() (Qt), 921
- setprecision(), a stream manipulator (C++), 252
- setPreferredSize() (AWT/Swing), 815
- setPriority() (Java), 967
- setSize() (AWT/Swing), 800, 937
- setSocket() (Qt), 1046
- setSpacing() (Qt), 831
- setToolTipText() (AWT/Swing), 849
- setVerticalTextPosition() (AWT/Swing), 810, 813, 819, 822
- setVisible() (AWT/Swing), 797, 810, 813, 817, 819, 822, 828, 1000
- setw(), a stream manipulator (C++), 253
- setWorldMatrix() (Qt), 920
- shape rendering, 918
- short, 213, 220
- short-circuit evaluation (C++), 543
- SHOW (SQL), 1065
- show()
 - (AWT/Swing), 1000, 797
 - (Qt), 801–802, 831–832, 834, 836
- showbase, a stream manipulator (C++), 254
- showDocument() (Java), 956
- showpoint, a stream manipulator (C++), 254
- shuffle, 150, 166
- shuffle() (Java), 316
- side effect, 347
- SIGNAL (Qt), 859
- signal, 870
 - (C++), 804
 - emission, 844
 - emitted by button, 808
- signaling object, 1013
- signal_name (GNOME/GTK+), 880
- signals and slots (Qt), 844
- SignalSlotLCD.cc, 860
- signature
 - function, 369
- signed
 - char (C++), 213–214
 - int (C++), 213, 221
- Silly.cc, 376
- Simple Mail Transfer Protocol, 1028
- SimulatedOO.c, 98
- simulated OO in C, 2, 790–791
- Singleton.cc, 417
- singleton (Java), 200
- Singleton.java, 416
- size()
 - (C++), 124, 175, 180
 - (Java), 190
- sizeHint() (Qt), 833, 836–837
- sizeof, 6–7, 98, 117, 125
- sizePolicy() (Qt), 837, 866
- size_t (C++), 110, 120
- size_type (C++), 116, 119, 122
- Sketch.c, 933
- Sketch.cc, 924
- sketching, free-form, 923, 932
- skipws, a stream manipulator (C++), 255
- Skipws.cc, 256
- sleep state, 964, 970
- SlideShowApplet.html, 946
- SlideShowApplet (Java), 940
- SlideShowApplet.java, 943
- SLOT (Qt), 859
- slot (Qt), 804, 844, 870, 887
- SMALLINT (SQL), 1061
- SmallInt (C++), 529
- SmallIntWithIncrDecr.cc, 531
- smart pointer (C++), 519
- SmartPtr.h, 527
- SmartPtrInitial.cc, 523
- SmartPtrWithOwnership.cc, 525
- SMTP network service, 1028
- society of objects, 1
- Socket (Java), 1028–1029, 1038
- socket, 1027–1028, 1038
 - number, 1027–1028
- SolidLine (Qt), 921
- sort()
 - (C++), 116, 162, 171, 182, 206, 375, 538, 567, 692
 - (Java), 55, 137, 145, 185–186, 205, 315
 - pointer types (C++), 542
 - stable, 117
- SortedMap, a Java container class, 184, 191
- SortedSet, a Java container class, 183
- sort_heap() (C++), 567
- SortPointerTypes.cc, 542
- SortTiming.java, 55
- SortWithFunctor.cc, 539
- SortWithLessThan.cc, 540
- SOUTH (AWT/Swing), 810, 827
- SOUTHEAST (AWT/Swing), 827
- SOUTHWEST (AWT/Swing), 827
- SpecialInt.cc, 437
- SpecialInt.java, 440
- specialization, 769
- specification perspective (UML), 592
- specification, 369
- splicing one list into another
 - (C++), 171
 - (Java), 185–186
- SQL, 1055, 1057, 1059
- sstream, a C++ header file, 8, 257
- stable sorting, 117, 197, 315
- Stack, a Java container class, 184
- stack, 299

- a C++ container class, 149, 151, 174
 - a C++ header file, 8
 - (Java), 184
- stacking order, 842
- StackOps.cc, 174
- StackOverflowError (Java), 408
- standard
 - conversion, 224–225
 - error stream, 239, 21, 23
 - input stream, 239
 - namespace (C++), 9
 - output, 8
 - stream, 23, 239
- StandardConvert.cc, 225
- Standard Template Library (C++), 8–9
- start()
 - for applets (AWT/Swing), 903, 937, 991
 - for QThread (Qt), 1018
 - for Thread (Java), 966
 - for Timer (Java), 941
- startsWith() (Java), 141
- state
 - diagram (UML), 604
 - of input stream object (C++), 23
 - transition (UML), 606
- state() (Qt), 1039
- statechart diagram (UML), 588, 606
 - concurrent, 608
- Statement (Java), 1070
- static, 19, 595, 690
 - class member
 - (C++), 422
 - (Java), 430
 - const (C++), 422
 - initialization, 422
 - destruction (C++), 429
 - final (Java), 430, 690
 - initialization, 430
 - for continuous storage (C++), 362
 - for file scope (C++), 361
 - initialization (C++), 429
 - member, 81
 - initialization (C++), 423, 426
 - initialization (Java), 433
 - nested class (Java), 89, 847
 - result set (Mysql++), 1077
 - variable (C++), 361
 - binding (C++), 647
- Static1.cc, 422
- Static1.java, 430
- Static2.cc, 423
- Static2.java, 431
- StaticBinding.cc, 647
- static_cast (C++), 117, 232, 618, 781
- StaticStorage.cc, 362
- status message in sequence diagram (UML), 598
- stddef.h (C), 110
- stderr, standard error stream (C), 19, 21
- stdexcept, a C++ header file, 8–9
- stdin, standard input stream (C), 14
- stdio.h, a C header file, 21
- stdlib.h, a C header file, 20
- std, standard namespace (C++), 9, 22, 386
- stereotype (UML), 596
- STL (C++), 8–9
- stop()
 - for applets (AWT/Swing), 937
 - for Timer (Java), 941
- store() (Mysql++), 1076
- storage allocation
 - String (Java), 132
- strcat() (C), 110
- strcmp() (C), 109, 563
- strcpy() (C), 98, 110, 507
- stream
 - buffering
 - (C++), 258
 - (Java), 264
 - function (C++), 252
 - hierarchy
 - (C++), 237
 - (Java), 259
 - manipulator (C++), 252
- streambuf (C++), 258
 - a header file, 8
- strerror() (C), 1003
- stretch (Qt), 833
- String (Java), 18
- String
 - (Java), 129
 - storage allocation, 132
- string
 - (C), 108
 - (C++), 33, 113
 - (Java), 129
 - a C++ header file, 8–9, 113, 116
 - constant, 108
 - constructor
 - (C++), 507
 - (Java), 131
 - joining of
 - (C), 110
 - (C++), 111
 - (Java), 138
 - literal, 108, 211
 - ::npos (C++), 120
 - stream, 257
 - StringBuffer (Java), 38, 129
 - StringCharIndexing.cc, 114
 - StringFind.cc, 121
 - StringFind.java, 140
 - string.h, a C header file, 107, 109

- StringIndexOutOfBoundsException (Java), 134
 - StringInsert.java, 141
 - StringLiteralUniqueness.java, 131
 - StringSize.cc, 125
 - StringSizeOf.cc, 127
 - StringSort.java, 137
 - StringTokenizer (Java), 26, 192, 205
 - strlen() (C), 109, 507
 - struct
 - (C), 98
 - (C++), 336
 - access privilege, 337
 - tag, 336
 - StructInit.cc, 337
 - Structured Query Language, 1055, 1057
 - StyledDocument (AWT/Swing), 854
 - subclass, 2, 31
 - (C++), 42
 - copy assignment operator, 617
 - copy constructor, 617
 - operator overloading, 617
 - (Java), 47
 - subscript operator (C++), 150
 - substr() (C++), 122
 - substring() (Java), 141
 - superclass, 31
 - (C++), 42
 - (Java), 47
 - super (Java), 47
 - super() (Java), 670
 - superstate (UML), 608
 - suppressing name mangling (C++), 386
 - swap() (C++), 129
 - Swap.cc, 356
 - Swap.java, 355
 - SwapWithPointer.cc, 357
 - Swing (Java), 790–791
 - SwingUtilities (AWT/Swing), 993, 1000
 - switch, 305
 - sync() (C++), 258
 - SynchedFileIO.java, 981
 - SynchedSwaps.c, 1011
 - SynchedSwaps.cc, 1019
 - SynchedSwaps.java, 979
 - synchronization
 - bar (UML), 611
 - (C++), 1019
 - (Java), 979
 - pthreads (POSIX), 1010
 - synchronized
 - collection (Java), 200
 - container (Java), 185
 - synchronizedList() (Java), 200
 - synchronous method invocation, 601
 - System (Java), 13, 56, 957
 - system thread group (Java), 965
-
- ## T
- tab character, 215
 - TableLayoutTest.c, 841
 - TCP, 1028
 - server socket, 1038
 - socket, 1038
 - tellg() (C++), 240, 248
 - tellp() (C++), 240
 - telnet, 1027, 1053
 - daemon, 1027
 - telnetd, 1027
 - template
 - class, 547
 - class (C++), 83
 - declaration (C++)
 - general syntax, 563
 - nontype parameter, 563
 - type parameter, 563
 - parameter, 555
 - parameter (C++)
 - default value, 564
 - list, 563
 - specialization (C++), 560
 - TemplateX.cc, 83
 - templating, 549
 - templated
 - class, 550, 568
 - function, 550
 - program, 548
 - terminate() (C++), 393
 - TermIO.c, 14
 - TermIO.cc, 15
 - TermIO.java, 17
 - TestFilePosition2.cc, 241
 - TestFilePosition.cc, 240
 - Text, 1059
 - TextArea (AWT/Swing), 882, 884
 - text string, drawing of, 919
 - TFTP, 1028
 - TFTP network service, 1028
 - this, for self-reference
 - (C++), 435, 453
 - (Java), 439
 - this() (Java), 421, 669
 - Thread (Java), 1018, 941, 966, 968
 - thread
 - group
 - tree (Java), 965
 - interference, 971
 - priority, 942, 964
 - safety, 1000
 - scheduling
 - fi rst-in fi rst-out, 1004
 - nonrealtime, 1004

- priority-preemptive, 964
 - round-robin, 1004, 964
 - state
 - blocked, 970
 - born, 967, 970
 - dead, 970
 - runnable, 967, 970
 - running, 970
 - sleeping, 970
 - waiting, 970
 - synchronization
 - (C++), 1019
 - (Java), 979
 - (POSIX), 1010
 - ThreadBasic.c, 1005
 - ThreadBasic.java, 966
 - ThreadBasicWithJoin.c, 1007
 - ThreadBasicWithJoin.java, 968
 - ThreadBasicWithRunnable.java, 969
 - ThreadGroup (Java), 965
 - Throwable (Java), 399
 - throw clause (C++), 389
 - throwing multiple exceptions, 404
 - throws clause (Java), 399
 - time order in a sequence diagram (UML), 601
 - Timer (Java), 940, 943
 - timeslicing of threads, 964, 967, 972
 - TIME (SQL), 1061
 - WITH TIME ZONE, 1061
 - TIMESTAMP (SQL), 1061
 - WITH TIME ZONE, 1061
 - toArray() (Java), 183, 201, 316
 - token, 192, 211
 - toolbar, 798, 897
 - Toolkit (AWT/Swing), 794, 915
 - top() (C++), 174
 - top_attach (GNOME/GTK+), 840
 - top-level
 - containers, 793, 795–796
 - window, 796, 804
 - toString() (Java), 52
 - tower of GUI API's, 792
 - transient (Java), 281
 - transition, statechart diagram (UML), 606
 - transitivity, 605
 - translate()
 - (AWT/Swing), 905
 - (Qt), 920
 - translating Unicode into UTF-8, 270
 - Transmission Control Protocol, 1028
 - transparent pixels, 793
 - TreeMap, a Java container class, 184, 191
 - TreeSet, a Java container class, 189
 - trigger (UML), 612
 - trimToSize() (Java), 197
 - Trivial File Transfer Protocol, 1028
 - trunc (C++), 239
 - try-catch
 - (C++), 389
 - (Java), 18, 24, 401
 - TryCatch.cc, 390
 - TryCatch.java, 400
 - two's complement representation, 230, 236
 - type, 114
 - conversion
 - explicit, 223
 - explicit (C++), 232, 234
 - explicit (Java), 234
 - for primitive types, 223
 - implicit, 223
 - implicit (C++), 224, 232
 - implicit (Java), 228
 - typedef (C++), 61, 65–67, 69, 84, 88, 113, 169, 237
 - typeid() (C++), 786
 - typeinfo, a C++ header file, 8–9
 - type
 - inheritance (C++), 665
 - parameter, 555
 - constraining of (Java), 579
 - template declaration of (C++), 563
 - typename (C++), 563
-
- U**
- UDP, 1028
 - ugetc() (C), 14
 - UML, 3, 588
 - unary operator, 504
 - unchecked exception (Java), 399, 408
 - unexpected() (C++), 393
 - unset() (C++), 246
 - ungetc() (C), 15
 - Unicode, 134, 136, 213, 218, 237, 1029
 - Unified Modeling Language, 3, 588
 - UNIQUE (SQL), 1062
 - unique() (C++), 171
 - Unix, 791–792, 794–795
 - emulation in Windows, 12
 - UnknownHostException (Java), 1029
 - unmodifiableList() (Java), 200
 - unnamed namespace (C++), 69, 304
 - unsigned
 - char (C++), 213–214
 - int, 110, 116
 - int (C++), 213
 - long int, 110
 - UnsupportedEncodingException (Java), 134
 - UnsyncedFileIO.java, 976
 - UnsyncedSwaps.c, 1008
 - UnsyncedSwaps.java, 972
 - upcasting (C++), 628–629
 - UPDATE (SQL), 1060, 1062, 1066

- update()
 - (AWT/Swing), 904
 - (Qt), 919
 - URL, 939, 943, 953, 1028, 1038
 - (Java), 956
 - usage patterns for exception handling
 - (C++), 391
 - (Java), 402
 - US-ASCII, 133
 - USE (SQL), 1063
 - use case (UML), 588, 608
 - diagram, 588
 - extend relationship, 590
 - generalization, 590
 - include relationship, 590
 - User1.cc, 35
 - User2.cc, 35
 - User3.cc, 36
 - UserConv.cc, 534
 - UserConvConstructor.cc, 535
 - UserConvExplicit.cc, 536
 - User Datagram Protocol, 1028
 - User.java, 39
 - using (C++)
 - declaration, 64, 303
 - directive, 9, 22, 61, 64, 303
 - UTF-8, 133
 - encoding, 270
 - UTF-16, 133
 - UTF-16BE, 133
 - UTF-16LE, 133–134
 - utility, a C++ header file, 8, 176
-
- V**
- valarray
 - a C++ container class, 150, 152
 - a C++ header file, 8
 - VARCHAR(n) (SQL), 1061
 - variable
 - default initialization, 283
 - (C++), 286
 - (Java), 293
 - Vector, a Java container class, 184, 194
 - vector
 - (C++), 567
 - (Java), 184, 194
 - a C++ container class, 148, 150, 152, 174
 - a C++ header file, 8, 156
 - initialization (C++), 157, 166
 - migration, 149
 - VectorBasic.cc, 155
 - VectorForClassType.cc, 164
 - VectorFrontBackResize.cc, 157
 - VectorInitArray.cc, 167
 - VectorInsertEraseSort.cc, 160
 - VectorListOps.java, 196
 - VectorOps.java, 195
 - VERTICAL (AWT/Swing), 826
 - viewport view, 816
 - virtual
 - base (C++), 237, 731, 737, 752
 - destructor (C++), 655, 727, 781
 - function (C++), 44, 617, 638, 651, 918
 - pure (C++), 74–75, 643, 727
 - table (C++), 648
 - pointer, 649
 - terminal, 791
 - VirtualBase.cc, 732
 - VirtualBaseAssign.cc, 740
 - VirtualBaseCopyConstruct.cc, 737
 - VirtualDestructor.cc, 655
 - VirtualPrint1.cc, 641
 - VirtualPrint2.cc, 644
 - visibility, 43, 47, 595
 - private, 595
 - protected, 595
 - public, 595
 - visual representation, 587
 - VSPACE, 938
 - vtbl (C++), 648
 - vtpr (C++), 649
 - VtprConcealed.cc, 649
-
- W**
- wait
 - list, 984
 - state, 964, 970
 - wait()
 - (C++), 1018
 - (Java), 983–984
 - waitForAll() (AWT/Swing), 915
 - waitForID() (AWT/Swing), 915
 - wait-notify (Java), 983
 - wait-signal (POSIX), 1014
 - wait-wake (Qt), 1022
 - wakeAll() (Qt), 1022
 - wakeOne() (Qt), 1022
 - weightx (AWT/Swing), 826
 - weighty (AWT/Swing), 826
 - WEST (AWT/Swing), 810, 827
 - WHERE (SQL), 1062
 - white-space characters, 15–16, 212
 - Widening.java, 228
 - widening primitive conversion (Java), 228
 - widening type conversion (Java), 371
 - widget, 795
 - Win32, 793
 - API, 791–792
 - WINDOW_ACTIVATED (AWT/Swing), 852
 - WindowAdapter (AWT/Swing), 680, 850
 - WINDOW_CLOSED (AWT/Swing), 852
 - windowClosing() (AWT/Swing), 850

- WINDOW_CLOSING (AWT/Swing), 852
 - windowClosing() (AWT/Swing), 852
 - WINDOW_DEACTIVATED (AWT/Swing), 852
 - WINDOW_DEICONIFIED (AWT/Swing), 852
 - WindowEvent (AWT/Swing), 852
 - WINDOW_ICONIFIED (AWT/Swing), 852
 - WindowListener (AWT/Swing), 847
 - window manager, 842
 - WINDOW_OPENED (AWT/Swing), 852
 - Windows platform, 794
 - WindowWithButtons2.java, 850
 - WindowWithButtons.java, 848
 - WindowWithHelloButton.c, 871
 - WindowWithMenu.c, 898
 - WindowWithMenu.cc, 889
 - WindowWithMenu.h (Qt), 889
 - WindowWithMenu.java, 884
 - wistream (C++), 258
 - wostream (C++), 258
 - wrapper class (Java), 185, 194
 - WriteBinaryIntsToFile.cc, 250
 - writeBytes() (Java), 269
 - writeChars() (Java), 264, 270
 - writeDouble() (Java), 264
 - writeFloat() (Java), 264
 - write for binary I/O (C++), 247
 - writeInt() (Java), 264
 - WriteIntToFile.java, 261
 - write() (Java), 24, 262–263, 269
 - writeObject() (Java), 280
 - Writer (Java), 259, 1029, 1033
 - WriteStringToFile.java, 267
 - writeUTF() (Java), 270
 - wxWindows (C++), 791
-

X

- Xlib, 791–792
- Xt, 791
- X window system, 790

The OOP or Object Oriented Programming is a paradigm that allows you to write a program by modeling real-world things in terms of class and object. It not only make to represent a real-world thing inâ€¦

2. Python: OOP.

This is another free course to learn Object-Oriented programming in Python from Udemy. The course will not only teach you how to structure your code using class and object but also how to do object-oriented programming by bundling attributes and methods within a class. Object-oriented programming â€” the basics. Constructors and object instances. Other ways to create object instances. Test your skills! Summary.Â

Defining an object template.

Let's consider a simple program that displays information about the students and teachers at a school. Here we'll look at OOP theory in general, not in the context of any specific programming language. To start this off, we could return to our Person object type from our first objects article, which defines the generic data and functionality of a person. Visual Basic provides full support for object-oriented programming including encapsulation, inheritance, and polymorphism. Encapsulation means that a group of related properties, methods, and other members are treated as a single unit or object. Inheritance describes the ability to create new classes based on an existing class. Polymorphism means that you can have multiple classes that can be used interchangeably, even though each class implements the same properties or methods in different ways. TRE is an object oriented, functional programming language, that enables user to view all processes happening inside a memory during program execution. programming-language memory-allocation teaching-materials interactive-visualizations object-oriented-programming. Updated Jan 30, 2017.Â

Add a description, image, and links to the object-oriented-programming topic page so that developers can more easily learn about it. Curate this topic. Add this topic to your repo.